

# *Copeia*

1981

Published by  
THE AMERICAN SOCIETY OF ICHTHYOLOGISTS  
AND HERPETOLOGISTS

the same time, the *Journal of the American Medical Association* (JAMA) published a similar article by Dr. J. H. T. Ross, a prominent physician from the University of Michigan.

Dr. Ross's article, titled "The Medical Profession and the Public," also discussed the importance of maintaining high standards of medical practice and the role of the medical profession in society.

Both articles emphasized the need for medical professionals to be vigilant in their duties and to prioritize the health and well-being of their patients above all else.

The *Journal of the American Medical Association* also published a series of articles in the following months, each focusing on a different aspect of medical practice and the challenges faced by the profession.

These articles provided a comprehensive overview of the state of the medical profession at the time and offered valuable insights into the challenges and opportunities facing the field.

The *Journal of the American Medical Association* continued to be a leading voice in the medical community, providing a platform for the exchange of ideas and the advancement of medical knowledge.

Its commitment to high standards of medical practice and its dedication to the public good have made it a respected and influential publication for over a century.

The *Journal of the American Medical Association* remains a vital resource for medical professionals and the public alike, providing a wealth of information and a forum for the discussion of important issues in the field.

Its commitment to excellence and its dedication to the public good have made it a model for other professional organizations and publications.

The *Journal of the American Medical Association* is a testament to the power of the medical profession to improve the lives of its patients and the world.

Its commitment to high standards of medical practice and its dedication to the public good have made it a respected and influential publication for over a century.

The *Journal of the American Medical Association* remains a vital resource for medical professionals and the public alike, providing a wealth of information and a forum for the discussion of important issues in the field.

Its commitment to excellence and its dedication to the public good have made it a model for other professional organizations and publications.

The *Journal of the American Medical Association* is a testament to the power of the medical profession to improve the lives of its patients and the world.

Its commitment to high standards of medical practice and its dedication to the public good have made it a respected and influential publication for over a century.

The *Journal of the American Medical Association* remains a vital resource for medical professionals and the public alike, providing a wealth of information and a forum for the discussion of important issues in the field.

Its commitment to excellence and its dedication to the public good have made it a model for other professional organizations and publications.

The *Journal of the American Medical Association* is a testament to the power of the medical profession to improve the lives of its patients and the world.

Its commitment to high standards of medical practice and its dedication to the public good have made it a respected and influential publication for over a century.

The *Journal of the American Medical Association* remains a vital resource for medical professionals and the public alike, providing a wealth of information and a forum for the discussion of important issues in the field.

Its commitment to excellence and its dedication to the public good have made it a model for other professional organizations and publications.

The *Journal of the American Medical Association* is a testament to the power of the medical profession to improve the lives of its patients and the world.

Its commitment to high standards of medical practice and its dedication to the public good have made it a respected and influential publication for over a century.

The *Journal of the American Medical Association* remains a vital resource for medical professionals and the public alike, providing a wealth of information and a forum for the discussion of important issues in the field.

Its commitment to excellence and its dedication to the public good have made it a model for other professional organizations and publications.

The *Journal of the American Medical Association* is a testament to the power of the medical profession to improve the lives of its patients and the world.

# CONTENTS—1981, Nos. 1-4

ACKERMAN, RALPH A. Growth and gas exchange of embryonic sea turtles ( <i>Chelonia</i> , <i>Caretta</i> ) .....	757
ALBER, JAMES B. (see Bath, Dale Wm.)	
ALTIG, RONALD (see Branch, Lyn C.)	
ANDERSON, M. ERIC AND CARL L. HUBBS. Redescription and osteology of the northeastern Pacific fish <i>Derepochthys alepidotus</i> (Zoarcidae) .....	341
ANDERSON, JR., WILLIAM D. A new species of Indo-West Pacific <i>Etelis</i> (Pisces: Lutjanidae), with comments on other species of the genus .....	820
ARNOLD, C. R. (see Holt, Joan)	
ARVIDSON, LARRY G. (see Bath, Dale Wm.)	
ASHTON, JR., RAY E. (see Lee, David S.)	
AUFFENBERG, WALTER. The fossil turtles of Olduvai Gorge, Tanzania, Africa .....	509
AUGER, PETER J. (see Lazell, Jr., James D.)	
BAKER, JOHN A. AND STEPHEN T. ROSS. Spatial and temporal resource utilization by southeastern cyprinids .....	178
BALTZ, DONALD M. AND PETER B. MOYLE. Morphometric analysis of tule perch ( <i>Hysterocarpus traski</i> ) populations in three isolated drainages .....	305
BATH, DALE WM., JOSEPH M. O'CONNOR, JAMES B. ALBER AND LARRY G. ARVIDSON. Development and identification of larval Atlantic sturgeon ( <i>Acipenser oxyrinchus</i> ) and shortnose sturgeon ( <i>A. brevirostrum</i> ) from the Hudson River estuary .....	711
BAUWENS, DIRK. Survivorship during hibernation in the European common lizard, <i>Lacerta vivipara</i> .....	741
BEISWENGER, R. E. Predation by gray jays on aggregating tadpoles of the boreal toad ( <i>Bufo boreas</i> ) .....	459
BENNETT, STEPHEN H. (see Kraemer, Jed E.)	
BIRKELAND, CHARLES AND STEVE NEUDECKER. Foraging behavior of two Caribbean chaetodontids: <i>Chaetodon capistratus</i> and <i>C. aculeatus</i> .....	169
BOBKA, MARLENE S., ROBERT G. JAEGER AND DONALD C. McNAUGHT. Temperature dependent assimilation efficiencies of two species of terrestrial salamanders .....	417
BOGART, JAMES P. (see Green, David M.)	
BOUGHTON, WALTER C. (see Sabath, Michael D.)	
BRANCH, LYN C. AND RONALD ALTIG. Nocturnal stratification of three species of <i>Ambystoma</i> larvae .....	870
BROOKS, RONALD J. (see Obbard, Martyn E.)	
BRUMMETT, ANNA RUTH AND JAMES N. DUMONT. A comparison of chorions from eggs of northern and southern populations of <i>Fundulus heteroclitus</i> .....	607
BRYAN, CHARLES F. (see Chernoff, Barry)	
BULL, J. J. (see Muth, Allan)	
BURNS, JOHN R. (see Grier, Harry J.)	
BURNS, JOHN R. AND JORGE A. FLORES. Reproductive biology of the cuatro ojos, <i>Anableps dowi</i> (Pisces: Anablepidae), from El Salvador and its seasonal variations .....	25
BURR, BROOKS M. AND RICHARD L. MAYDEN. Systematics, distribution and life history notes on <i>Notropis chihuahua</i> (Pisces: Cyprinidae) .....	255
BUSCHBOM, RAY L. (see Dauble, Dennis D.)	
BUTH, D. G. (see Crabtree, C. B.)	
BUTH, DONALD G. AND RICHARD L. MAYDEN. Taxonomic status and relationships among populations of <i>Notropis pilsbryi</i> and <i>N. zonatus</i> (Cypriniformes: Cyprinidae) as shown by the glucosephosphate isomerase, lactate dehydrogenase and phosphoglucumutase enzyme systems .....	583
CAMAZINE, BRIAN, WILLIAM GARSTKA AND DAVID CREWS. Techniques for gonadectomizing snakes ( <i>Thamnophis</i> ) .....	884
CARPENTER, KENNETH. Preneural in the evolution of <i>Trionyx</i> .....	456
CARTER, H. JACQUE. Aspects of the physiological ecology of species of <i>Gambusia</i> from Belize, Central America .....	694
CARUSO, JOHN H. The systematics and distribution of the lophiid anglerfishes: I. A revision of the genus <i>Lophiodes</i> with the description of two new species .....	522
CAVENDER, TED M. (see Ross, Michael R.)	
CHERNOFF, BARRY (see Smith, Michael Leonard)	
CHERNOFF, BARRY. Taxonomy of the Mexican atherinid fish genus <i>Archomenidia</i> .....	913
CHERNOFF, BARRY, JOHN V. CONNER AND CHARLES F. BRYAN. Systematics of the <i>Menidia beryllina</i> complex (Pisces: Atherinidae) from the Gulf of Mexico and its tributaries .....	319
CHRISMAN, C. L. (see Hollenbeck, P. J.)	
CHRISMAN, C. L. (see Wolters, W. R.)	

COLEMAN, FELICIA. Protogynous hermaphroditism in the anthiine serranid fish <i>Holanthias martinicensis</i>	893
COLLINS, JAMES P. Distribution, habitats and life history variation in the tiger salamander, <i>Ambystoma tigrinum</i> , in east-central and southeast Arizona	666
CONNER, JOHN V. (see Chernoff, Barry)	
CORAZZA, LUCIANO (see Elston, Ralph)	
COYER, JAMES A. (see DeMartini, E. E.)	
CRABTREE, C. B. AND D. G. BUTH. Gene duplication and diploidization in tetraploid catostomid fishes <i>Catostomus fumeiventris</i> and <i>C. santaanae</i>	705
CRANE, JR., JULES M. Feeding and growth by the sessile larvae of the teleost <i>Porichthys notatus</i>	895
CREWS, DAVID (see Camazine, Brian)	
CUNDALL, DAVID. Cranial osteology of the colubrid snake genus <i>Ophedrys</i>	353
DANIELS, ROBERT A. <i>Cryothernia peninsulæ</i> , a new genus and species of nototheniid fish from the Antarctic peninsula	558
DAUBLE, DENNIS D. AND RAY L. BUSCHBOM. Estimates of hybridization between two species of catostomids in the Columbia River	802
DAVID, ROBYN S. AND ROBERT G. JAEGER. Prey location through chemical cues by a terrestrial salamander	435
DAWSON, C. E. Notes on four pipefishes (Syngnathidae) from the Persian Gulf	87
DE MARTINI, E. E. AND JAMES A. COYER. Cleaning and scale-eating in juveniles of the kyphosid fishes, <i>Hermosilla azurea</i> and <i>Girella nigricans</i>	785
DIXON, JAMES R. The neotropical colubrid snake genus <i>Liophis</i> : the eastern Caribbean complex	296
DOUCETTE, JR., ALBERT J. (see Fitzsimons, J. Michael)	
DOUGLAS, MICHAEL EDWARD AND BURT L. MONROE, JR. A comparative study of topographical orientation in <i>Ambystoma</i> (Amphibia: Caudata)	460
DREWRY, G. E. (see Smith, M. H.)	
DUBIN, RUTH E. Pair spawning in the princess parrotfish, <i>Scarus taeniopterus</i>	475
DUMONT, JAMES N. (see Brummett, Anna Ruth)	
DUNLAP, DONALD G. AND JAMES ERNEST PLATZ. Geographic variation of proteins and call in <i>Rana pipiens</i> from the northcentral United States	876
EASTAAL, SIMON (see Sabath, Michael D.)	
ELSTON, RALPH, LUCIANO CORAZZA AND JOHN G. NICKUM. Morphology and development of the olfactory organ in larval walleye, <i>Stizostedion vitreum</i>	890
EVANS, SUSAN E. Caudal autotomy in a lower Jurassic eosuchian	883
FABLE, JR., W. A. (see Holt, Joan)	
FAVARETTO, ANA LUCIA V., SERGIO O. PETENUSCI, RUBERVAL A. LOPES AND PAULO SAWAYA. Effect of exposure to air on haematological parameters in <i>Hypostomus regani</i> (Pisces: Loricariidae), teleost with aquatic and aerial respiration. I. Red cells	918
FEDER, JULIANA H. (see Feder, Martin E.)	
FEDER, MARTIN E. AND JULIANA H. FEDER. Diel variation of oxygen consumption in three species of Philippine gekkonid lizards	204
FITZSIMONS, J. MICHAEL AND ALBERT J. DOUCETTE, JR. Karyology of the shads <i>Dorosoma cepedianum</i> and <i>D. petenense</i> (Osteichthyes: Clupeiformes)	908
FLORES, JORGE A. (see Burns, John R.)	
FLORES, JORGE A. (see Grier, Harry J.)	
FRANCIS, MALCOLM P. Von Bertalanffy growth rates in species of <i>Mustelus</i> (Elasmobranchii: Triakidae)	189
FRITZSCHE, RONALD A. AND G. DAVID JOHNSON. <i>Pseudopriacanthus</i> Bleeker, a synonym of the priacanthid genus <i>Pristigenys</i> Agassiz	490
FUSARO, JAMES M. (see John, Kenneth R.)	
GARSTKA, WILLIAM (see Camazine, Brian)	
GOLDBERG, STEPHEN R. Seasonal spawning cycle of the California tonguefish, <i>Symphurus atricauda</i> (Cynoglossidae)	472
GREEN, DAVID M. Adhesion and the toe-pads of treefrogs	790
GREEN, DAVID M., AARON O. WASSERMAN AND JAMES P. BOGART. Karyotypes of the frogs, <i>Rana septentrionalis</i> and <i>R. virgatipes</i>	879
GREENFIELD, DAVID W. <i>Varicus imswae</i> , a new species of gobiid fish from Belize	269
GREER, BEVERLY J. (see Wells, Kentwood D.)	
GRIER, HARRY J., JOHN R. BURNS AND JORGE A. FLORES. Testis structure in three species of teleosts with tubular gonopodia	797
GUTTMAN, SHELDON I. (see Karlin, Alvan A.)	
HALES, DONALD C. (see Rosen, Rudolph A.)	

HASSE, JOHN J. Characters, synonymy and distribution of the middle American cichlid fish <i>Cichlasoma meeki</i> .....	210
HEBRARD, JAMES J. AND ROBERT C. LEE. A large collection of brackish water snakes from the central Atlantic coast of Florida .....	886
HELFMAN, GENE S. The advantage to fishes of hovering in shade .....	392
HILDEBRAND, ANN C. (see Stoneking, Mark)	
HILLIS, DAVID M. Premating isolating mechanisms among three species of the <i>Rana pipiens</i> complex in Texas and southern Oklahoma .....	312
HILLYARD, STANLEY D. (see Stuenkel, Edward L.)	
HIXON, MARK A. An experimental analysis of territoriality in the California reef fish <i>Embiotoca jacksoni</i> (Embiotocidae) .....	653
HOCUTT, CHARLES H. (see Smith, Jr., Reinald E.)	
HOLLENBECK, P. J. AND C. L. CHRISMAN. Kidney preparations for chromosomal analyses of Ictaluridae	216
HOLT, JOAN, ALLYN G. JOHNSON, C. R. ARNOLD, W. A. FABLE, JR. AND T. D. WILLIAMS. Description of eggs and larvae of laboratory reared red drum, <i>Sciaenops ocellata</i> .....	751
HOWARD, JAMES H. AND RICHARD L. WALLACE. Mictogeographical variation of electrophoretic loci in populations of <i>Ambystoma macrodactylum columbianum</i> (Caudata: Ambystomatidae) .....	466
HUBBS, CARL L. (see Anderson, M. Eric)	
HUGHES, DIANNE R. Development and organization of the posterior field of ctenoid scales in the Platycephalidae .....	596
HUMPHRIES, JULIAN M. AND ROBERT RUSH MILLER. A remarkable species flock of pupfishes, genus <i>Cyprinodon</i> , from Yucatán, México .....	52
HUNTINGFORD, F. A. Further evidence for an association between lateral scute number and aggressiveness in the threespine stickleback, <i>Gasterosteus aculeatus</i> .....	717
HUTCHINS, J. B. Nomenclatural status of the toadfishes of India .....	336
INGERSOL, CHRIS A. (see Topping, Milton S.)	
ITZKOWITZ, MURRAY. Reproductive behavior of an endemic Jamaican cyprinodont fish, <i>Chriopeiodes pengelleyi</i> .....	473
JAEGER, ROBERT G. (see Bobka, Marlene S.)	
JAEGER, ROBERT G. (see David, Robyn S.)	
JENSSEN, THOMAS A. Unusual display behavior by <i>Anolis grahami</i> from western Jamaica .....	728
JOHN, KENNETH R. AND JAMES M. FUSARO. Growth and metamorphosis of solitary <i>Rana pipiens</i> tadpoles in confined space .....	737
JOHNSON, ALLYN G. (see Holt, Joan)	
JOHNSON, G. DAVID (see Fritzsche, Ronald A.)	
JOHNSON, JAMES H. The summer diet of the cutlips minnow, <i>Exoglossum maxillingua</i> , in a central New York stream .....	484
JOHNSON, JAMES H. AND NEIL H. RINGLER. Natural hybridization of <i>Oncorhynchus kisutch</i> and <i>O. tshawytscha</i> in a Lake Ontario tributary, with notes on meristic variation .....	720
KARLIN, ALVAN A. AND SHELDON I. GUTTMAN. Hybridization between <i>Desmognathus fuscus</i> and <i>Desmognathus ochrophaeus</i> (Amphibia: Urodela: Plethodontidae) in northeastern Ohio and northwestern Pennsylvania .....	371
KARRA, SRINIVASA RAO AND RAMA MURTY MANTHA. Ambicoloration—a sexually dimorphic character in <i>Crossorhombus azureus</i> (Bothidae: Pisces) off Waltair .....	721
KEMP, A. Rearing of embryos and larvae of the Australian lungfish, <i>Neoceratodus forsteri</i> , under laboratory conditions .....	776
KEYES, RAYMOND S. (see Webb, Paul W.)	
KEYES, RAYMOND S. (see Weihs, Daniel)	
KORNFIELD, IRV. Distribution of constitutive heterochromatin and the evolution of sex chromosomes in <i>Fundulus</i> .....	916
KRAEMER, JED E. AND STEPHEN H. BENNETT. Utilization of posthatching yolk in loggerhead sea turtles, <i>Caretta caretta</i> .....	406
LAPOINTE, JOSEPH L. (see Price, Andrew H.)	
LAUDER, JR., GEORGE V. Intraspecific functional repertoires in the feeding mechanism of the characid fishes <i>Lebiasina</i> , <i>Hoplias</i> and <i>Chalceus</i> .....	154
LAZELL, JR., JAMES D. AND PETER J. AUGER. Predation on diamondback terrapin ( <i>Malaclemys terrapin</i> ) eggs by dunegrass ( <i>Ammophila breviligulata</i> ) .....	723
LEE, DAVID S. AND RAY E. ASHTON, JR. Use of <sup>60</sup> Co tags to determine activity patterns of freshwater fishes .....	709
LEE, ROBERT C. (see Hebrard, James J.)	

LEGRANDE, WILLIAM HUNT. Chromosomal evolution in North American catfishes (Siluriformes: Ictaluridae) with particular emphasis on the madtoms, <i>Noturus</i> .....	33
LIBEY, G. S. (see Wolters, W. R.) .....	
LODI, ELISO. Competition between palla and normal bearing spermatozoa of <i>Poecilia reticulata</i> (Pisces: Poeciliidae) .....	624
LOPES, RUBERAL A. (see Favaretto, Ana Lucia V.) .....	
LUCCHINO, RONALD V. (see Seidel, Michael E.) .....	
MACDOUGAL, JOHN (see McVey, Margaret E.) .....	
MAGNUSON, J. J. (see Medvick, P. A.) .....	
MANTHA, RAMA MURTY (see Karra, Srinivasa Rao) .....	
MANTIS, CONSTANCE (see Reznick, David) .....	
MAXSON, LINDA R. Albumin evolution and its phylogenetic implications in toads of the genus <i>Bufo</i> . II. Relationships among Eurasian <i>Bufo</i> .....	579
MAYDEN, RICHARD L. (see Burt, Brooks M.) .....	
MAYDEN, RICHARD L. (see Buth, Donald G.) .....	
MCCLANAHAN, LON L. (see Romsper, Alan P.) .....	
MCCUNE, AMY REED. Quantitative description of body form in fishes: implications for species level taxonomy and ecological inference .....	898
MCDOWALL, R. M. A sub-dorsal fin pore anal system in the centrolophid fish <i>Schedophilus maculatus</i> (Pisces: Stromateoidei) .....	492
MCNAUGHT, DONALD C. (see Bobka, Marlene S.) .....	
MCVEY, MARGARET E., ROBERT G. ZAHARY, DIANE PERRY AND JOHN MACDOUGAL. Territoriality and homing behavior in the poison dart frog ( <i>Dendrobates pumilio</i> ) .....	1
MEDVICK, P. A., J. J. MAGNUSON AND S. SHARR. Behavioral thermoregulation and social interactions of bluegills, <i>Lepomis macrochirus</i> .....	9
MEFFE, GARY K. AND ROBERT C. VRIJENHOEK. Starvation stress and intraovarian cannibalism in livebearers (Atheriniformes: Poeciliidae) .....	702
MIDDAUGH, DOUGLAS P. Reproductive ecology and spawning periodicity of the Atlanuc silverside, <i>Menidia menidia</i> (Pisces: Atherinidae) .....	766
MILLER, ROBERT RUSH (see Humphries, Julian M.) .....	
MITTON, JEFFERY B. (see Pierce, Benjamin A.) .....	
MONROE, JR., BURT L. (see Douglas, Michael Edward) .....	
MONTANUCCI, RICHARD R. Habitat separation between <i>Phrynosoma douglassi</i> and <i>P. orbiculare</i> (Lacertilia: Iguanidae) in Mexico .....	147
MONTGOMERY, W. LINN. Mixed-species schools and the significance of vertical territories of damselfishes .....	477
MORRIS, MICHAEL A. AND LAWRENCE M. PAGE. Variation in western logperches (Pisces: Percidae), with description of a new subspecies from the Ozarks .....	95
MORTON, MARTIN L. Seasonal changes in total body lipid and liver weight in the Yosemite toad .....	234
MOYLE, PETER B. (see Baltz, Donald M.) .....	
MUNSHI, J. S. D. (see Singh, B. R.) .....	
MURPHY, PATRICIA A. Celestial compass orientation in juvenile American alligators ( <i>Alligator mississippiensis</i> ) .....	638
MUTH, ALLAN AND J. J. BULL. Sex determination in desert iguanas: does incubation temperature make a difference? .....	869
NAFTEL, GARY (see Tricas, Timothy C.) .....	
NAYLOR, BRUCE G. Cryptobranchid salamanders from the Paleocene and Miocene of Saskatchewan .....	76
NEUDECKER, STEVE (see Birkeland, Charles) .....	
NICKUM, JOHN G. (see Elston, Ralph) .....	
NOLAND, ROSEMARIE AND GORDON R. ULTSCH. The roles of temperature and dissolved oxygen in micro-habitat selection by the tadpoles of a frog ( <i>Rana pipiens</i> ) and a toad ( <i>Bufo terrestris</i> ) .....	645
NUSSBAUM, RONALD A. <i>Scolecophorus lamottei</i> , a new caecilian from west Africa (Amphibia: Gymnophiona: Scolecophoridae) .....	265
OBBARD, MARTYN E. AND RONALD J. BROOKS. A radio-telemetry and mark-recapture study of activity in the common snapping turtle, <i>Chelydra serpentina</i> .....	630
O'CONNOR, JOSEPH M. (see Bath, Dale Wm.) .....	
OJHA, J. (see Singh, B. R.) .....	
PAGE, LAWRENCE M. (see Morris, Michael A.) .....	
PAPPANTONIOU, ANTONIOS (see Schmidt, Robert E.) .....	
PATRO, RAGHUNATH AND R. PRASAD. Chromosomal studies in five Indian flatfishes .....	498
PEDEN, ALEX E. On the identity of two cottid subspecies, <i>Icelinus burchami burchami</i> and <i>I. b. fuscescens</i> .....	482
PERRY, DIANE (see McVey, Margaret E.) .....	

PETENUSCI, SERGIO O. (see Favaretto, Ana Lucia V.)	
PETRANKA, JAMES W. AND JOHN G. PETRANKA. On the evolution of nest site selection in the marbled salamander, <i>Ambystoma opacum</i>	387
PETRANKA, JOHN G. (see Petranka, James W.)	
PIERCE, BENJAMIN A., JEFFRY B. MITTON AND FRANCIS L. ROSE. Allozyme variation among large, small and cannibal morphs of the tiger salamander inhabiting the Llano Estacado of west Texas	590
PLATZ, J. E. Suture zone dynamics: Texas populations of <i>Rana berlandieri</i> and <i>R. blairi</i>	733
PLATZ, JAMES ERNEST (see Dunlap, Donald G.)	
PLUMMER, MICHAEL V. Communal nesting of <i>Opheodrys aestivus</i> in the laboratory	243
POTTER, JR., FLOYD E. AND SAMUEL S. SWEET. Generic boundaries in Texas cave salamanders, and a redescription of <i>Typhlomolge robusta</i> (Amphibia: Plethodontidae)	64
PRASAD, R. (see Patro, Raghunath)	
PREGILL, GREGORY. Cranial morphology and the evolution of West Indian toads (Salientia: Bufonidae): resurrection of the genus <i>Peltophryne</i> Fitzinger	273
PRICE, ANDREW H. AND JOSEPH L. LAPOINTE. Structure-functional aspects of the scent gland in <i>Lampropeltes getulus splendida</i>	138
RAB, PETR. Karyotype of European mudminnow, <i>Umbra krameri</i>	911
RANDALL, JOHN E. AND PAUL STRUSAKER. <i>Naso maculatus</i> , a new species of acanthurid fish from the Hawaiian Islands and Japan	553
REID, GORDON MCGREGOR. The identity and provenance of <i>Labeo werneri</i> Lohberger, a supposedly African species of cyprinid fish	915
REZNICK, DAVID, OWEN J. SEXTON AND CONSTANCE MANTIS. Initial prey preferences in the lizard <i>Sceloporus malachiticus</i>	681
RICHARDSON, J. I. (see Stoneburner, D. L.)	
RILEY, DONALD R. Rediscovery of <i>Leptotyphlops columbi</i> (Serpentes: Leptotyphlopidae)	233
RINGLER, NEIL H. (see Johnson, James H.)	
ROGERS, WILLIAM. Taxonomic status of cichlid fishes of the Central American genus <i>Neotroplus</i>	286
ROMSPERT, ALAN P. AND LON L. MCCLANAHAN. Osmoregulation of the terrestrial salamander, <i>Ambystoma tigrinum</i> , in hypersaline media	400
ROSE, FRANCIS L. (see Pierce, Benjamin A.)	
ROSEN, RUDOLPH A. AND DONALD C. HALES. Feeding of paddlefish, <i>Polyodon spathula</i>	441
ROSS, MICHAEL R. AND TED M. CAVENDER. Morphological analyses of four experimental intergeneric cyprinid hybrid crosses	377
ROSS, STEPHEN T. (see Baker, John A.)	
ROXBOROUGH, MARK (see van der Elst, Rudy P.)	
SABATH, MICHAEL D., WALTER C. BOUGHTON AND SIMON EASTEAL. Expansion of the range of the introduced toad <i>Bufo marinus</i> in Australia from 1935 to 1974	676
SAMARITAN, JEANETTE M. (see Schmidt, Robert E.)	
SATEL, SALLY L. AND RICHARD J. WASSERSUG. On the relative sizes of buccal floor depressor and elevator musculature in tadpoles	129
SAVAGE, JAY M. A new species of the secretive colubrid snake genus <i>Geophis</i> from Costa Rica	549
SAWAYA, PAULO (see Favaretto, Ana Lucia V.)	
SCHMIDT, ROBERT E., JEANETTE M. SAMARITAN AND ANTONIOS PAPPANTONIOU. Status of the bitterling, <i>Rhodeus sericeus</i> , in southeastern New York	481
SCHWERDTFEGER, PAULA M. (see Tilley, Stephen G.)	
SEIDEL, MICHAEL E. AND RONALD V. LUCCHINO. Allozymic and morphological variation among the musk turtles <i>Sternotherus carinatus</i> , <i>S. depressus</i> and <i>S. minor</i> (Kinosternidae)	119
SELMAN, KELLY (see Wallace, Robin A.)	
SEMLITSCH, RAYMOND D. Effects of implanted tantalum-182 wire tags on the mole salamander, <i>Ambystoma talpoideum</i>	735
SEXTON, OWEN J. (see Reznick, David)	
SEXTON, OWEN J. (see Ward, David)	
SHAKLEE, JAMES B. AND GREGORY S. WHITT. Lactate dehydrogenase isozymes of gadiform fishes: divergent patterns of gene expression indicate a heterogeneous taxon	563
SHARR, S. (see Medvick, P. A.)	
SHINE, RICHARD. Venomous snakes in cold climates: ecology of the Australian genus <i>Drysdalia</i> (Serpentes: Elapidae)	14
SINGH, B. R., A. N. YADAV, J. OJHA AND J. S. D. MUNSHI. Gross structure and dimensions of the gills of an intestinal air-breathing fish ( <i>Lepidocephalichthys guntea</i> )	224
SMITH, M. H., D. O. STRANEY AND G. E. DREWRY. Biochemical similarities among Puerto Rican <i>Eleutherodactylus</i>	463
SMITH, MICHAEL LEONARD AND BARRY CHERNOFF. Breeding populations of cyprinodontoid fishes in a thermal stream	701



SMITH, JR., REINALD E. AND CHARLES H. HOCUTT. Formulae variations of pharyngeal tooth counts in the cyprinid genus <i>Notropis</i> .....	222
STALLS, DAVID M. (see Weihs, Daniel)	
STAMPS, JUDY A. AND SANFORD TANAKA. The relationship between food and social behavior in juvenile lizards ( <i>Anolis aeneus</i> ) .....	422
STEVENSON, MICHAEL M. Karyomorphology of several species of <i>Cyprinodon</i> .....	494
STONEBURNER, D. L. AND J. I. RICHARDSON. Observations on the role of temperature in loggerhead turtle nest site selection .....	238
STONEKING, MARK, DANIEL J. WAGNER AND ANN C. HILDEBRAND. Genetic evidence suggesting subspecific differences between northern and southern populations of brook trout ( <i>Salvelinus fontinalis</i> ) .....	810
STRANEY, D. O. (see Smith, M. H.)	
STRUHSAKER, PAUL (see Randall, John E.)	
STUENKEL, EDWARD L. AND STANLEY D. HILLYARD. The effects of temperature and salinity acclimation on metabolic rate and osmoregulation in the pupfish <i>Cyprinodon salinus</i> .....	411
SWEET, SAMUEL S. (see Potter, Jr., Floyd E.)	
TANAKA, SANFORD (see Stamps, Judy A.)	
TARGETT, TIMOTHY E. (see Wyanski, David M.)	
TAYLOR, LEIGHTON R. (see Tricas, Timothy C.)	
THROCKMORTON, GAYLORD S. Ketamine hydrochloride as an anesthetic agent for lizard surgery .....	241
TILLEY, STEPHEN G. AND PAULA M. SCHWEDTFEGER. Electrophoretic variation in Appalachian populations of the <i>Desmognathus fuscus</i> complex (Amphibia: Plethodontidae) .....	108
TODD, THOMAS N. <i>Coregonus prognathus</i> Smith: a nomen dubium .....	489
TOPPING, MILTON S. AND CHRIS A. INGERSOL. Fecundity in the hellbender, <i>Cryptobranchus alleganiensis</i> .....	873
TRAVIS, JOSEPH. The effect of staining on the growth of <i>Hyla gratiosa</i> tadpoles .....	193
TRICAS, TIMOTHY C., LEIGHTON R. TAYLOR AND GARY NAFTEL. Diel behavior of the tiger shark, <i>Galeocerdo cuvier</i> , at French Frigate Shoals, Hawaiian islands .....	904
ULTSCH, GORDON R. (see Noland, Rosemarie)	
VAN DER ELST, RUDY P. AND MARK ROXBURGH. Use of the bill during feeding in the black marlin ( <i>Makaira indica</i> ) .....	215
VOGT, RICHARD C. Turtle egg ( <i>Graptemys</i> : Emydidae) infestation by fly larvae .....	457
VRIJENHOEK, ROBERT C. (see Meffe, Gary K.)	
WAGNER, DANIEL J. (see Stoneking, Mark)	
WALKER, J. MARTIN. Systematics of <i>Cnemidophorus gularis</i> . I. Reallocation of populations currently allocated to <i>Cnemidophorus gularis</i> and <i>Cnemidophorus scalaris</i> in Coahuila, Mexico .....	826
WALKER, J. MARTIN. Systematics of <i>Cnemidophorus gularis</i> . II. Specific and subspecific identity of the Zacatecas whiptail ( <i>Cnemidophorus gularis semiannulatus</i> ) .....	850
WALLACE, RICHARD L. (see Howard, James H.)	
WALLACE, ROBIN A. AND KELLY SELMAN. The reproductive activity of <i>Fundulus heteroclitus</i> females from Woods Hole, Massachusetts, as compared with more southern localities .....	212
WARD, DAVID AND OWEN J. SEXTON. Anti-predator role of salamander egg membranes .....	724
WASSERMAN, AARON O. (see Green, David H.)	
WASSERSUG, RICHARD J. (see Satel, Sally L.)	
WEBB, PAUL W. AND RAYMOND S. KEYES. Division of labor between median fins in swimming dolphin (Pisces: Coryphaenidae) .....	901
WEIHS, DANIEL. Body section variation in sharks—an adaptation for efficient swimming .....	217
WEIHS, DANIEL, RAYMOND S. KEYES AND DAVID M. STALLS. Voluntary swimming speeds of two species of large carcharhinid sharks .....	219
WELLS, ALAN W. Possible occurrence of hybridization between <i>Couesius plumbeus</i> and <i>Semotilus margarita</i> .....	487
WELLS, KENTWOOD D. Territorial behavior of the frog <i>Eleutherodactylus urichi</i> in Trinidad .....	726
WELLS, KENTWOOD D. AND BEVERLY J. GREER. Vocal responses to conspecific calls in a neotropical hyliid frog, <i>Hyla ebraccata</i> .....	615
WHITNEY, CARL L. The monophasic call of <i>Hyla regilla</i> (Anura: Hylidae) .....	230
WHITT, GREGORY S. (see Shaklee, James B.)	
WILLIAMS, T. D. (see Holt, Joan)	
WITHERS, PHILIP C. Physiological correlates of limblessness and fossoriality in scincid lizards .....	197
WOLTERS, W. R., C. L. CHRISMAN AND G. S. LIBEY. Lymphocyte culture for chromosomal analyses of channel catfish, <i>Ictalurus punctatus</i> .....	503
WYANSKI, DAVID M. AND TIMOTHY E. TARGETT. Feeding biology of fishes in the endemic Antarctic Harpagiferidae .....	686
YADAV, A. N. (see Singh, B. R.)	
ZAHARY, ROBERT G. (see McVey, Margaret E.)	





# INDEX

## COPEIA, 1981, Nos. 1-4

### NEW NAMES

*Cnemidophorus gularis semiannulatus* 859-865  
*Cryothernia peninsulæ* 558-562  
*Cryptobranchius saskatchewanensis* 76-86  
*Cyprinodon labiosus* 55-60  
*Cyprinodon maya* 55  
*Cyprinodon simus* 60  
*Etelis radiosus* 820-825  
*Geophis downsi* 549-553

*Latisternon microsulcae* 509-522  
*Lophiodes beroe* 542-543  
*Lophiodes bruchius* 539-540  
*Naso maculatus* 553-558  
*Percina caprodes fulvitaenia* 96-106  
*Scolecophorus lamottei* 265-269  
*Varicus insue* 269-272

### NEW AND ESTABLISHED NAMES

*Ablabes*  
*hamptoni* 353, 369  
*multicinctus* 369  
*Abudefduf*  
*saxatilis* 174, 176  
*troschelii* 477-481  
*Achirus lineatus* 501  
*Acipenser*  
*brevirostrum* 709, 711-717  
*oxyrhynchus* 711-717  
*ruthenus* 711  
*Acontias meleagris* 197-204  
*Acris crepitans* 129-137  
*Aethotaxis* 559  
*Agalychnis callidryas* 129-137  
*Agkistrodon contortrix* 22  
*Albertemys* 512  
*Alburnus zonatus* 583  
*Alligator mississippiensis* 638-645  
*Alosa pseudoharengus* 910  
*Alsophis* 290  
*Alytes cisternasii* 129-137  
*Ambystoma* 84  
*gracile* 674  
*jeffersonianum* 460-463, 872  
*macrodictylum* 672  
*macrodictylum columbianum* 466-471  
*maculatum* 388, 460-463, 724-726, 870-873  
*mexicanum* 401  
*opacum* 387-391, 460-463, 870-873  
*ordinarium* 673  
*rosaceum* 673  
*talpoideum* 388, 735-737, 870-873  
*tigrinum* 400-405, 590-595, 666-675, 725  
*tigrinum mavortium* 401, 590-595, 666-675  
*tigrinum nebulosum* 594, 666-675  
*tigrinum stebbinsi* 666  
*tigrinum tigrinum* 673  
*tigrinum utahense* 666  
*Amiurus* 43, 48  
*Amphibolurus barbatus* 241-243  
*Amphiprion melanopus* 476

*Amphiuma* 84  
*Amyda* 456  
*Anabas testudineus* 228-229  
*Anableps*  
*anableps* 797-801  
*dowi* 25-32, 797-801  
*Anarbylus switaki* 205, 208  
*Anarchopterus* 94  
*Anarrhichthys ocellatus* 342, 349  
*Andrias* 77, 79, 81, 83-84  
*Anguilla anguilla* 416  
*Aniella pulchra* 197  
*Anotis* 795  
*aeneus* 422-434  
*carolinensis* 681  
*garmani* 728-732  
*grahami* 728-733  
*grahami grahami* 728-733  
*lineatopus neckeri* 731  
*luteogularis* 283  
*trinitatis* 301  
*Anotheca spinosa* 129-137, 795  
*Anotis maccayi* 16-17  
*Anthias*  
*anthias* 893  
*conspicua* 893-894  
*oculatus* 824  
*squamipinnis* 893-894  
*Antillophus* 296  
*Antimora microlepis* 563-578  
*Aphareus* 822  
*Aphyosemion* 495  
*Aplocheilichthys* 495  
*Aporphus juliae* 302  
*Araeoscelis* 883  
*Archomenidia*  
*bolivari* 913-914  
*sallei* 913-914  
*Ardeosaurus* 883  
*Aristelliger* 795  
*Arius felis* 38, 42

- Arrhyton* 296  
*Artedidracon*  
*loennbergi* 686-693  
*mirus* 686-693  
*orianae* 686-693  
*skottsbergi* 686-693  
*Artedius* 483  
*Ascapus truei* 129-137  
*Aspideretes*  
*coalescens* 456-457  
*ellipticus* 456-457  
*exquisita* 456-457  
*foveatus* 456-457  
*grangeri* 456-457  
*ovatus* 456-457  
*sagatus* 456-457  
*singularis* 456-457  
*sp.* 456-457  
*vegetus* 456-457  
*vorax* 456-457  
*Atherinichthys sallei* 913  
*Atherinops affinis* 785-788  
*Atulonotus* 557  
*Austrobatrachus*  
*dussumieri* 336-341  
*foedus* 337  
*Austrolycus depressiceps* 342
- Bantochelys* 512  
*Barbus radiatus* 329  
*Bathygaster signatus* 342, 348  
*Batrachoides gangene* 336-339  
*Batrachomoeus trispinosus* 336-339  
*Batrachoseps*  
*attenuatus* 400, 402, 404  
*major* 400, 402, 404  
*relictus* 400  
*Batrachus*  
*dussumieri* 329-330  
*gangene* 338  
*grunniens* 337-338  
*Batrachthys*  
*albofasciatus* 337, 339  
*grunniens* 336-341  
*Bhanotia fasciolata* 92  
*Bolitoglossa* 790, 794  
*Boltyshia* 912  
*Bothrocara*  
*brunneum* 342  
*pusillum* 342  
*Brachyraphis episcopi* 29-30  
*Bregmaceros*  
*japonicus* 563-578  
*maccllellandii* 563-578  
*Brosme brosmes* 563-578  
*Brotula multibarata* 563-578  
*Bryx*  
*analicarens* 87, 92-94  
*dunckeri* 94  
*randalli* 94
- sp.* 94  
*veleronis* 94  
*Bufo* 281, 459, 881  
*alvarius* 579-583  
*americanus* 459, 579-583, 739  
*blombergi* 129-137, 579-583  
*boreas* 129-137, 459-460, 649  
*browni* 579-583  
*bufo* 579-583  
*calamita* 579-583  
*canorus* 234-238, 649  
*carens* 580-581  
*debilis* 273  
*granulosus* 273, 282  
*kelloggi* 273  
*latastii* 582  
*marinus* 129-137, 273, 579-583, 676-680  
*mauritanicus* 579-583  
*melanostictus* 579-583  
*oblongus* 582  
*orientalis* 582  
*peltocephalus* 273, 282  
*punctatus* 273  
*quercicus* 273  
*raddei* 582  
*rangeri* 579-583  
*spinulosus* 579-583  
*stomaticus* 579-583  
*superciliaris* 579-583  
*terrestris* 129-137, 645-652  
*terrestris* × *Bufo woodhousei fowleri* 646  
*typhonius* 273  
*valliceps* 273  
*viridis* 579-583  
*woodhousei fowleri* 646
- Cacophis* spp. 20  
*Callicanthus hexacanthus* 554  
*Calliophis* 297  
*melanurus* 297  
*Calluella guttulata* 129-137  
*Campostoma* 818  
*anomalum* 377-387  
*anomalum anomalum* 385  
*anomalum plumbeum* 385  
*ornatum* 262  
*Canthidermis maculatus* 397  
*Capoeta* 915  
*capoeta* 915  
*capoeta angorae* 915  
*Captorhinus* 883  
*Carapus*  
*bermudensis* 563-578  
*homei* 563-578  
*Carassius auratus* 155, 503, 916  
*Carcharhinus*  
*amblyrhynchus* 907  
*leucas* 219-222  
*milberti* 771  
*plumbeus* 219-222

*Caretta caretta* 238-241, 406-411, 723, 757-765

*Catostomus*

*catostomus* 706

*columbianus* 802-810

*columbianus* × *Catostomus macrocheilus* 802-810

*commersoni* 706, 807, 809

*commersoni* × *Catostomus macrocheilus* 807, 809

*discobolus* 706

*fumeiventris* 705-708

*macrocheilus* 802-810

*occidentalis* 706

*platyrhynchus* 706

*plebeius* 706

*santaanae* 705-708

*syncheilus* 807

*Centropomus striata* 893

*Ceratophrys aurita* 129-137

*Cetorhinus maximus* 190-191

*Chaetodon*

*aculeatus* 169-178

(*Prognathodes*) *aculeatus* 169-178

*capistratus* 169-178

*substriatus* 490

*Chalceus macrolepidotus* 154-168

*Chelidoperca hirundinacea* 893-894

*Chelonia* 238

*mydas* 407, 409, 635, 757-765

*Chelydra*

*serpentina* 409, 630-637

*serpentina osceola* 635

*Chilara taylori* 563-578

*Chirolophus* 524, 531

*crozieri* 527, 529-530

*forbesi* 535

*insidiator* 527, 529

*japonicus* 538

*kempii* 531

*monodi* 540

*moseleyi* 530-531

*murrayi* 530-531

*phycoides* 529-530

*Chirostoma*

*beryllinum* 333

*peninsulae* 331, 333

*Chirolepis* 269

*Chiropeiodes pengelleyi* 473-474

*Chromis punctipinnis* 657-658

*Chrysemys picta* 409, 634-635

*Chrysopleura ornata* 298

*Cichlasoma* 286, 294-295

*affine* 210

*aureum* 210

*carpintis* 286

*hyorhynchum* 210-212

*meeki* 210-212

*sieboldii* 286

*panamense* 286-296

*Citharichthys spilopterus* 501

*Clarias*

*batrachus* 42

*fuscus* 42

*Cleisthenes pinetorum* 501

*Clinostomus elongatus* 377-387

*Clupea*

*harengus* 331

*harengus harengus* 910

*harengus pallasi* 910

*Clupiosoma garua* 42

*Cnemidophorus*

*alpinus* 826

*costatus* 863

*gularis* 826-868

*gularis colossus* 832, 854, 863-864, 867

*gularis gularis* 826-850, 854, 863, 866

*gularis: gularis* × *pallidus* 826-849, 864

*gularis pallidus* 826-850, 854-855, 863-864, 866

*gularis: pallidus* × subsp. 826-849

*gularis scalaris* 850, 855, 863, 865, 867

*gularis: scalaris* × *semifasciatus* 855

*gularis semiannulatus* 850-868

*gularis semifasciatus* 855, 863-865

*gularis septemvittatus* 826-849, 855, 863-864, 867

*gularis subsp.* 826-849, 865

*inornatus* 848

*mexicanus* 826

*sackii* 863

*sackii scalaris* 860

*scalaris* 826-849, 854, 863

*scalaris pallidus* 826, 850, 854

*scalaris scalaris* 850, 860

*scalaris semifasciatus* 826-850, 854, 866

*scalaris septemvittatus* 854

*septemvittatus* 826, 850, 854

*septemvittatus pallidus* 835

*septemvittatus scalaris* 860

*septemvittatus septemvittatus* 846-847

*sericeus* 832

*sexlineatus* 826, 850, 854

*sexlineatus gularis* 857

*sexlineatus sackii* 860

*tigris gracilis* 843

*tigris marmoratus* 843, 848

*Coelorhynchus coelorhynchus* 563-578

*Colostethus nubicola* 129-137

*Coluber* 356

*aestivus* 369

*corallinus* 302

*cursor* 300

*fugitivus* 300

*melanotus* 297

*melanurus* 297

*ornatus* 298

*triscalis* 302

*Cookeolus boops* 490-491

*Coregonus*

*artedii* 490

*hoyi* 490

*kiiyi* 490

*nigripinnis* 489

*nigripinnis prognathus* 489

*prognathus* 489-490

*reighardi* 490

*zenithicus* 490

*Coreobagrus ichikawa* 42

- Corydoras*  
*agassizi* 42  
*aneus* 42  
*arcuatus* 42  
*axelrodi* 42  
*bondi* 42  
*elegans* 43  
*julii* 43  
*melanistius* 43  
*metae* 43  
 aff. *osteocardus* 43  
*paleatus* 43  
*punctatus* 43  
*rabauti* 43  
*schultzei* 43  
*schwartzi* 43  
*undulatus* 43  
*Coryphaena hippurus* 901-904  
*Coryphaenoides rupestris* 563-578  
*Cosymbotus platyurus* 204-209  
*Cottus*  
*grunniens* 337-339  
*indus* 337, 339  
*Couesius*  
*plumbeus* 487-489  
*plumbeus dissimilis* 489  
*plumbeus* × *Semotilus margarita* 487-489  
*Crossorhombus*  
*azureus* 721-722  
*kanekonis* 722  
*kobensis* 722  
*Crotalus atrox* 639  
*Cryothenia peninsulae* 558-562  
*Cryptobranchius*  
*alleganiensis* 77, 79, 81, 83-85, 873-876  
*alleganiensis alleganiensis* 873-876  
*alleganiensis bishopi* 873-876  
*dauidianus* 83, 85  
*japonicus* 81-85  
*matthewi* 76, 78, 81-85  
 ("Andrias") *matthewi* 76  
*saskatchewanensis* 76-86  
*scheuchzeri* 81, 83-85  
*Ctenopharyngodon idella* 176  
*Ctenophryne geayi* 129-137  
*Ctenopus* sp. 17  
*Cyclophiops doriae* 353, 369  
*Cyclorana novaeollandiae* 677, 679  
*Cymatogaster* sp. 785-787  
*Cynoglossus*  
*arel* 721  
*puncticeps* 498-503  
*Cynops* 83  
*Cynoscion nebulosus* 771, 773  
*Cyprinodon* 473-474  
*atrurus* 52, 494-498, 701  
*beltrani* 52-64, 494-498  
*bifasciatus* 52, 494-498  
*bovinus* 494-498  
*elegans* 494-498  
*eximius* 52, 62, 494-498  
*hubbsi* 494-498  
*labiosus* 52-64  
*macularius* 415, 495  
*maya* 52-64  
*milleri* 411, 415  
*nevadensis nevadensis* 702  
*pecosensis* 494-498  
*rubrofluvialis* 415-416, 494-498  
*salinus* 411-417  
*simus* 52-64  
 sp. 52, 701-702  
*tularosa* 495  
*variegatus* 62, 494-498  
*variegatus artifrons* 52, 62  
*variegatus baconi* 62  
*variegatus hubbsi* 62  
*variegatus ovinus* 62  
*variegatus riverendi* 62  
*variegatus variegatus* 62  
*Cyprinus carpio* 503  
*Daector* 339  
*Dallia pectoralis* 911  
*Damalichthys vacca* 658, 660  
*Darlingtonia* 296  
*Dasyatis sabina* 771  
*Demansia psammophis* 245  
*Dendrobates*  
*granuliferus* 5, 7  
*pumilio* 1-8  
*Derepodichthys alepidotus* 341-352  
*Desmognathus* 409  
*fuscus* 109-119, 371-377, 709, 736  
*fuscus* × *Desmognathus ochrophaeus* 371-377  
*imitator* 118  
 new species 109-119  
*ochrophaeus* 117-118, 371-377  
*Diadophis punctatus* 138, 244-245  
*Dianema longibarbis* 43  
*Dinematichtys iluocoteoides* 563-578  
*Dipsosaurus dorsalis* 869-870  
*Dolloidraco longedorsalis* 686-693  
*Dorosoma*  
*anale* 908  
*cepedianum* 908-911  
*chavesi* 908  
*petenense* 908-911  
*smithi* 908  
*Dromicus* 296  
*cursor* 300  
*giganteus* 296-298  
*juliae copeae* 302  
*ornatus* 298  
*Drysdalia*  
*coronata* 14-25  
*coronoides* 14-25  
*mastersi* 14-25  
*rhodogaster* 14-25  
*Elaps trimaculatus* 297  
*Elates ransonneti* 596-606

- Eleutherodactylus*  
*antillensis* 463-466  
*auriculatus* 465  
*brittoni* 463-466  
*coqui* 463-466, 623, 728  
*eneidae* 463-466  
*locustus* 463-466  
*pictissimus* 284  
*portoricensis* 463-466  
*probolaeus* 284  
*richmondi* 463-466  
*ricordi* 465  
*urichi* 726-728  
*Embiotoca*  
*jacksoni* 653-665  
*lateralis* 658, 660, 663  
*Emblemaria caldwelli* 271  
*Enchelyopus cimbrius* 563-578  
*Engraulis*  
*japonicus* 910  
*mordax* 902, 910  
*Enophrys* 484  
*Entechinus*  
*doriae* 353  
*hamptoni* 353  
*herminae* 353-371  
*major* 353-371  
*multicinctus* 353  
*semicarínatus* 353-371  
*semicarínatus fritzei* 356  
*semicarínatus semicarínatus* 356  
*Eretmochelys* 238  
*Eretmodus* 154  
*Ericymba buccata* 178-189  
*Erymnochelys* 512  
*madagascariensis* 515  
*Esox* 912  
*Etelis*  
*carbunculus* 820-821, 823-824  
*coruscans* 820-821, 824-825  
*evurus* 820, 823-824  
*filamentosus* 820  
*nudimaxillaris* 820  
*marshi* 823  
*oculatus* 820-821, 823-825  
*oculatus* var. *lifuensis* 824  
*radiosus* 820-825  
*Eteliscus marshi* 820, 823  
*Etheostoma*  
*microperca* 106  
*vitreum* 709-711  
*Etiropus crossotus* 501  
*Euclastochelys* 512  
*Eupomacentrus rectifraenum* 477-481  
*Eurycea* 64, 84  
*bislineata* 709, 736  
*latitans* 65, 68  
*nana* 64-65, 67  
*neotenes* 65-70  
*rathbuni* 65  
*tridentifera* 65-70, 72  
*troglodytes* 65-68  
*Eurypholis* 369  
*multicinctus* 369  
*Eusarkia* 512  
*Euthynnus* 820, 823  
*affinis* 215  
*Exechodontes daidaleus* 342, 348  
*Exoglossum maxillingua* 484-487  
*Festucalex erythraeus* 87  
*Fundulus* 474, 495-497  
*confluentus* 888  
*diaphanus* 916  
*heteroclitus* 212-215, 607-614, 774, 916-918  
*heteroclitus grandis* 613  
*heteroclitus heteroclitus* 613  
*heteroclitus macrolepidotus* 613  
*grandis* 613  
*ocellaris* 613  
*parvipinnis* 916-918  
*sp.* 888  
*Gadus*  
*morhua* 563-578  
*tau* 339  
*pollachius* 229  
*Galeichthys felis* 788  
*Galeocercus cuvieri* 904-908  
*Galeorhinus australis* 190-191  
*Gallus*  
*grunniens* 337  
*grunniens Indicus* 337  
*Gambusia*  
*affinis* 29-30, 155, 159  
*luma* 694-700  
*manni* 29  
*marshi* 701  
*nicaraguensis* 694  
*puncticulata* 29-30  
*cf. senilis* 701-702  
*sexradiata* 52, 61-62, 694-700  
*yucatanana* 694-700  
*Gasterosteus aculeatus* 717-720  
*Gastrophryne carolinensis* 129-137  
*Gastrotheca riobambae* 129-137  
*Gehyra variegata* 17  
*Gekko* 795  
*Geochelone*  
*pardalis* 509-522  
*species B* 509-522  
*Geophis*  
*brachycephalus* 552  
*championi* 549, 551-553  
*downsi* 549-553  
*godmani* 549, 551-553  
*ruthveni* 549, 551-552  
*zeledoni* 552  
*Gephyrosaurus*  
*bridensis* 883-884  
*sp.* 883  
*Gila orcutti* 706-707  
*Ginglymostoma cirratum* 220

- Girella nigricans* 785-789  
*Gonatodes antillensis* 208  
*Gopherus* 143-144  
*Grammistes* 605  
*Graptomys*  
     *geographica* 458  
     *ouachitensis* 458  
     *pseudogeographica* 457-459  
*Gymnelis viridis* 342  
*Gymnocephalus* 154, 166-167  
  
*Haideotriton wallacei* 65, 67, 69  
*Halichoeres semicinctus* 788  
*Halobatrachus didactylus* 339  
*Halophryne*  
     *dussumieri* 336, 338  
     *gange* 336, 338  
     *trispinosus* 336, 338  
*Hampophryne boliviana* 129-137  
*Harpagifer bispinis* 689  
*Heleophryne purcelli* 129-137  
*Hemanthias*  
     *peruanus* 893  
     *vivanus* 893-894  
*Hemiaspis signata* 20  
*Hemidactylus frenatus* 204-209  
*Herichthys* 286  
*Hermosilla azurea* 785-789  
*Heros* 294  
*Herotilapia* 294-295  
*Herpele bornmulleri* 265  
*Heterandria formosa* 704  
*Heteromysteris oculus* 498-503  
*Hippichthys* 92  
*Holanthias martinicensis* 893-895  
*Holocanthus passer* 477-481  
*Homoeosaurus* 883  
*Hoplias malabaricus* 154-168  
*Horaichthys setnai* 797, 800  
*Hybopsis*  
     *aestivalis* 181  
     *storeriana* 181  
     *winchelli* 181  
*Hydromantes italicus* 435-440  
*Hyla* 651  
     *boulengeri* 623  
     *bromeliacea* 129-137  
     *chrysoscelis* 790-796  
     *dendroscarta* 129-137  
     *eberrata* 615-624  
     *femoralis* 129-137  
     *gratiosa* 129-137, 193-196  
     *legleri* 129-137  
     *microcephala* 129-137, 615, 623  
     *minuta* 615, 623  
     *pentheter* 129-137  
     *phlebodes* 129-137, 615, 623  
     *pinorum* 129-137  
     *regilla* 129-137, 230-233  
     *rubra* 129-137, 623  
     *squirella* 129-137  
     *versicolor* 790-796  
  
*Hymenochirus boettgeri* 129-137  
*Hypomesus pretiosus* 773  
*Hypopachus barberi* 129-137  
*Hypostomus regani* 918-920  
*Hypsirhynchus* 296  
*Hypsurus caryi* 657, 660  
*Hypsiopops rubicunda* 656  
*Hysteroecarpus traski* 305-311  
  
*Ialtris* 296  
*Icelinus*  
     *burchami burchami* 482-484  
     *burchami fuscescens* 482-484  
*Ichthyocampus townsendi* 87  
*Ictalurus*  
     *brunneus* 33-52  
     *catus* 33-52  
         (*Amiurus*) *catus* 48  
     *furcatus* 33-52  
     *melas* 33-52, 216-217, 504  
     *natalis* 33-52, 216-217, 504  
     *nebulosus* 33-52, 504  
     *platycephalus* 33-52  
     *punctatus* 33-52, 216-217, 503-504  
     *serracanthus* 33-52  
*Iguana iguana* 240, 245, 409  
*Iluoetes fimbriatus* 342  
  
*Jenynsia lineata* 797-801  
  
*Karius bicoloratus* 501  
*Kryptopterus bichir* 42  
*Kyphosus*  
     *elegans* 477-481  
     spp. 477-481  
  
*Labeo werneri* 915  
*Labidosaurus* 883  
*Labroides dimidiatus* 220  
*Lacerta vivipera* 741-744  
*Lamna nasus* 190  
*Lampropeltis*  
     *getulus floridana* 139  
     *getulus getulus* 138  
     *getulus splendida* 138-146  
*Lampropholis*  
     *delicata* 17  
     *quichenoti* 17  
*Latisternon microsulcae* 509-522  
*Lebiasina*  
     *bimaculata* 154  
     *boruca* 154-168  
*Lebistes reticulatus* 329  
*Leiopisma*  
     *entrecaesteauxii* 17  
     sp. 17  
     *trilineata* 17  
*Leimadophis*  
     *boulengeri* 298  
     *mariae* 302  
*Leiocephalus stictogaster* 283



- Lepidocephalichthys guntea* 224-229  
*Lepidochelys* 238  
*Lepidodactylus lugubris* 204-209  
*Lepidosiren paradoxa* 783  
*Lepisosteus* 228  
     *osseus* 771  
*Lepomis* 167, 818  
     *macrochirus* 9-13, 176, 392-400, 504  
*Lepophidium*  
     *cervinum* 563-578  
     sp. 563-578  
*Leptobranchium hasselti* 129-137  
*leptodactylid* sp. 17  
*Leptodactylus* 301  
     *fuscus* 283  
     *pentadactylus* 129-137  
*Leptotyphlops*  
     *albifrons* 233  
     *columbi* 233-234  
     *dulcis* 138-139, 144  
*Leuresthes*  
     *sardina* 773  
     *temuis* 773-774  
*Limanda*  
     *herzensteini* 501  
     *punctatissima* 501  
     *schrenki* 501  
     *yokohamae* 501  
*Limnaeodius ocularis* 795  
*Limnodynastes tasmaniensis* 129-137  
*Liobagrus reini* 39, 42  
*Liophis*  
     *boulengeri* 298  
     *cobella* 296  
     *cursor* 296-304  
     *cursor andreoides* 301, 303  
     *giganteus* 299, 303  
     *juliae* 296-304  
     *juliae copeae* 303  
     *juliae mariae* 303  
     *lineatus* 296  
     *melanotus* 296  
     *melanurus* 297  
     *ornatus* 296-304  
     *perfuscus* 296-304  
     *putnami* 300  
     *reginae* 296  
     *rufus* 296, 298, 301  
     *triscalis* 296-304  
*Litoria*  
     *arfakiana* 129-137  
     sp. 17  
     *verreauxi* 129-137  
*Lophiodes* 522-549  
     *beroe* 525-528, 534, 540, 542-547  
     *bruchius* 525-528, 539-540, 542, 544-547  
     *caulinaris* 523, 525-528, 531-533, 535-536, 544-547  
     *gracilimanus* 525-530, 543-547  
     *infrabrunneus* 525-529, 537, 544-547  
     *insidiator* 525-530, 543-547  
     *kempi* 525-528, 531-534, 544-547  
     *miacanthus* 525-528, 540-541, 544-547  
     *monodi* 525-528, 534, 540-541, 544-547  
     *moseleyi* 531  
     *murrayi* 531  
     *mutilus* 525-528, 538-539, 543-547  
     *naresi* 525-531, 537, 543-547  
     *olivaceus* 538  
     *reticulatus* 525-528, 532-535, 540, 544-547  
     *spilurus* 525-528, 532-533, 535-536, 544-546  
     *triradiatus* 543  
*Lophiomus* 543-544, 546  
     *caulinaris* 535  
     *miacanthus* 541  
     *spilurus* 536  
*Lophius* 543, 546  
     *lugubris* 538  
     *mutilus* 524, 538, 540  
     *naresi* 524, 530  
     *papillosus* 538  
     *piscatorius* 546  
     *(Chirolophius) quinquerradiatus* 538  
     *triradiatus* 543  
*Loricaria*  
     *macrodon* 42  
     *parva* 42  
*Lota lota* 563-578  
*Lucania* 474  
     *parva* 329-331  
     *venusta* 331  
*Lucayablennius zingaro* 271  
*Lutjanus viridis* 902  
*Luxilus* 583, 586-587, 589  
*Lycenchelys paxilla* 342  
*Lycodapus mandibularis* 342, 351  
*Lycodes*  
     *atlanticus* 342  
     *diapterus* 563-578  
*Lycodon mirabilis* 342  
*Lycinema barbatum* 342  
  
*Mabuya*  
     *capensis* 197-204  
     *sulcata* 197-204  
     *varia* 197-204  
*Macrozoarces americanus* 342, 563-578  
*Makaira indica* 215  
*Malaclemys terrapin* 409, 457, 723-724, 771  
*Mannarichthys* 94  
*Masticophis* 356  
*Maynea californica* 342, 563-578  
*Megophrys monticola* 129-137  
*Melanogrammus aeglefinus* 563-578  
*Melanophryniscus moreirae* 129-137  
*Melanostigma pammelas* 341-342, 344-345, 348-349, 351  
*Menidia*  
     *audens* 319-336  
     *beryllina* 319-336

- beryllina* × *Menidia audens* 331  
*beryllina atrimentis* 319  
*beryllina beryllina* 332  
*beryllina cerea* 319, 334  
*beryllina peninsulæ* 319, 332  
*colei* 319, 327  
*conchorum* 319  
*extensa* 319  
*menidia* 319, 766–776  
*peninsulæ* 319, 324–336  
*peninsulæ atrimentis* 319, 332, 334  
*Merluccius*  
*albidus* 563–578  
*bilinearis* 563–578  
*Mesosaurus* 883  
*Microhyla heymonsi* 124–137  
*Micropterus punctulatus* 329  
*Microspathodon dorsalis* 477–481  
*Microstomus achne* 501  
*Mirolabrichthys dispar* 894  
*Morethia lineocellata* 17  
*Mustelus*  
*asterias* 189–192  
*canis* 189–192  
*griseus* 189–192  
*lenticulatus* 189–192  
*manazo* 189–192  
*mediterraneus* 189–192  
*mustelus* 189–192  
*Mystus*  
*gulio* 42  
*mystus* 42  
*seenghala* 42  
*tengara* 42  
*vittatus* 42  
*Naso*  
*brevirostris* 556  
*hexacanthus* 553–554, 556–557  
*lopezi* 553–554, 557  
*maculatus* 553–558  
*metoposophron* 556–557  
*vlamingii* 556  
*Natrix fasciata taeniata* 886  
*Necturus* 76, 84  
*lewisii* 709  
*maculosus* 67–68  
*Neetroplus*  
*bocourti* 286  
*carpintis* 286  
*fluviatilis* 286–287, 292–293  
*nematopus* 286–296  
*nicaraguensis* 286–287, 291  
*panamensis* 286–287, 293–294  
*sieboldii* 286  
*Negaprion*  
*acutidens* 219–222  
*brevirostris* 219–222  
*Neobatrachus pictus* 129–137  
*Neoceratodus forsteri* 776–784  
*Neozoarces* 344  
*Nerodia*  
*fasciata compressicauda* 886–889  
*fasciata pictiventris* 886–889  
*fasciata taeniata* 886–889  
*rhombifera* 208  
*sipidon* 22, 639  
*Nezumia*  
*aequalis* 563–578  
*bairdi* 563–578  
*Nocomis*  
*asper* 106  
*biguttatus* 377–387  
*Notechis* 15  
*Notemigonus crysoleucas* 181, 331, 392–400, 482  
*Notophthalmus* 83  
*Notothenia rossii* 691  
*Notropis*  
*aguirrepequenoi* 256  
*albeolus* 222–224, 589  
*alborus* 261  
*analostanus* 222–224  
*atherinoides* 181, 329  
*atrocaudalis* 256  
*baileyi* 181  
*bairdi* 256, 259–261  
*boops* 222–224  
*braytoni* 256, 259–261  
*buccula* 256, 259–261  
*buchanani* 256, 259–261  
*chihuahuana* 255–265  
*chrysocephalus* 178–189, 333, 589  
*cocc genus* 589  
*cornutus* 333, 482, 589  
*(Opsopoeodus) emiliae* 181  
*girardi* 256, 259–261  
*greenei* 222–224  
*heterolepis* 256, 261  
*hudsonius* 489  
*leuciodus* 583  
*longirostris* 178–189  
*maculatus* 263  
*mekistocholas* 258, 261  
*perpallidus* 257  
*photogenis* 222–224  
*pilsbryi* 106, 583–590  
*procne* 256, 261  
*roseipinnis* 178–189, 263  
*saladonis* 256, 259–261  
*scabriceps* 222–224  
*semperasper* 260  
*signipinnis* 178–189  
*stramineus* 256, 259–261, 263  
*texanus* 178–189  
*topeka* 256, 259–261  
*uranoscopus* 261  
*venustus* 178–179, 586  
*(Cyprinella) venustus* 586  
*volucellus* 181, 256, 259–261  
*welaka* 178–189

- whipplei* 222-224  
*zonatus* 222-224, 583-590  
*zonistius* 589  
*Noturus*  
*albater* 33-52  
*baileyi* 45-46  
*elegans* 33-52  
*eleutherus* 33-52  
*exilis* 33-52  
*flavater* 33-52  
*flavipinnis* 33-52  
*flavus* 33-52, 216-217  
*funnebris* 33-52  
*gilberti* 33-52  
*gyrinus* 33-52  
*hildebrandi hildebrandi* 33-52  
*hildebrandi lautus* 33-52  
*insignis* 33-52  
*lachneri* 33-52  
*leptacanthus* 33-52  
*miurus* 33-52  
*munitus* 33-52  
*nocturnus* 33-52  
*phaeus* 33-52  
*stigmus* 33-52  
*(Rabida) stigmus* 49  
*taylori* 33-52  
*(Rabida) taylori* 44  
*trautmani* 45-46  
*Novumbra hubbsi* 911  
*Odontogadus merlangus* 563-578  
*Ogilbia cayorum* 563-578  
*Oligoplites* spp. 788  
*Ompok*  
*bimaculatus* 42  
*pabda* 42  
*Oncorhynchus* 816  
*kisutch* 720-721  
*kisutch* × *Oncorhynchus tshawytscha* 720-721  
*spp.* 890, 892  
*tshawytscha* 720-721  
*Ooedizygia lima* 129-137  
*Opheodry*  
*aestivus* 243-246, 353-371  
*doriae* 353  
*hamptoni* 353  
*herminae* 353  
*major* 353  
*multicinctus* 353  
*semicarinatus* 353  
*vernalis* 245, 353-371  
*Ophidion*  
*greyi* 563-578  
*holbrookii* 563-578  
*marginatus* 563-578  
*selenops* 563-578  
*Ophioblennius*  
*atlanticus* 476  
*steindachneri* 477-481  
*Opisthotriton* 76  
*Opsanus tau* 339  
*Osmerus mordax* 155, 773  
*Otophidium omostigmum* 563-578  
*Oxyulis californica* 788  
*Oxylebius pictus* 658  
*Oxyuranus* 15  
*Pagothenia* 559  
*Paleosox* 912  
*Pantosteus* 706  
*Paralabrax clathratus* 657-658  
*Paralichthys*  
*lethostigma* 501  
*olivaceus* 501  
*Paramacellodus* 883-884  
*Paraplagusia bilineata* 498-503  
*Parasilurus*  
*asotus* 42  
*biwaensis* 42  
*lithophilus* 42  
*Parasyngnathus* 91-92  
*argyrostictus* 87, 90-92  
*Pelomedusa* 512  
*Pelteobagrus nudiceps* 42  
*Peltophryne* 273-285  
*cataulaciceps* 273-274, 276, 278-283  
*empusa* 273-274, 278-283  
*fluviatica* 273-275, 278-284  
*gundlachi* 273-274, 276-277, 279-283  
*guntheri* 273, 276-277, 279-284  
*guntheri fractus* 274, 281, 284  
*guntheri guntheri* 274, 284  
*iemur* 273-274, 277, 279-280, 282-284  
*longinasa* 273-274, 276-277, 279-284  
*longinasa dunni* 283  
*longinasa longinasa* 283  
*longinasa ramsdeni* 283  
*peltocephala* 273-274, 276, 278-284  
*taladai* 273-274, 278-283  
*Pelusios* 512  
*adansoni* 513, 515, 517  
*bechuanensis* 514  
*blanckenhorni* 513  
*carinatus* 514  
*castaneus* 514  
*dewitzianus* 514  
*gabonensis* 513-515, 517  
*nanus* 513  
*niger* 514  
*pliocenica* 514  
*rudolphi* 514  
*rusingae* 513-514  
*sinuatus* 509-522  
*subniger* 513-515, 517  
*williamsi* 514  
*Penetopteryx* 94  
*Peprilus triacanthus* 492  
*Percina*  
*burtomi* 96-97, 107  
*caprodes caprodes* 95-108

- caprodes: caprodes*  $\times$  *fulvitaenia* 95-108  
*caprodes carbonaria* 95  
*caprodes fulvitaenia* 95-108  
*caprodes semifasciata* 95-108  
*caprodes: semifasciata*  $\times$  *fulvitaenia* 95-108  
*carbonaria* 95-108  
*macrolepidia* 95, 97, 108  
*rex* 96-97, 107  
*roanoka* 709-711  
*Petrolitapia tridentiger* 154, 167  
*Petrotyx sanguineus* 563-578  
*Phanerodon*  
   *atripes* 785  
   *furcatus* 658  
*Phoxinus*  
   *eos* 488  
   *neogaeus* 488  
*Phrynosoma*  
   *cornutum* 152  
   *douglassi* 147-153  
   *m'calli* 152  
   *modestum* 152  
   *orbiculare* 147-153  
   *platyrhinos* 151  
   *solare* 152  
*Phycis chesteri* 563-578  
*Phyllodactylus* 151  
*Physiculus grinelli* 563-578  
*Piceoerpeton* 76, 79  
*Pileoma carbonaria* 106  
*Pimelodella* sp. 42  
*Pimelodus*  
   *fur* 42  
   *maculatus* 42  
   sp. 42  
*Pimephales*  
   *notatus* 725  
   *promelas* 329, 488, 725  
*Platichthys stellatus* 501  
*Platycephalus*  
   *arenarius* 596-606  
   *arenicola* 596-606  
   *bassensis* 596-606  
   *beauforti* 596-606  
   *bosschei* 596-606  
   *caeroleopunctatus* 596-606  
   *castelnaui* 596-606  
   *chiltoni* 596-606  
   *cironasus* 596-606  
   *crocodilus* 596-606  
   *diversidens* 596-606  
   *fuscus* 596-606  
   *indicus* 596-606  
   *inops* 596-606  
   *isacanthus* 596-606  
   *japonicus* 596-606  
   *jugosus* 596-606  
   *laevigata* 596-606  
   *longispinis* 596-606  
   *macrocanthus* 596-606  
   *malayanus* 596-606  
   *marmoratus* 596-606  
   *nematophthalmus* 596-606  
   *parilis* 596-606  
   *richardsoni* 596-606  
   *rodricensis* 596-606  
   *scaber* 596-606  
   *spectulator* 596-606  
   *spinus* 596-606  
   *tuberculatus* 596-606  
*Platypeltis* 456  
   *seralis* 456-457  
*Plecotomus*  
   *ancistroides* 42  
   *macrops* 42  
   *paulinus* 42  
   *strigaticeps* 42  
*Plethodon*  
   *cinereus* 417-421, 435-440, 470  
   *jordani* 736  
   *larselli* 470  
   *shenandoah* 417-421  
*Pleuragramma* 559  
*Pleurodeles* 83  
*Pleurodema nebulosa* 129-137  
*Pleuronectes platessa* 501, 613  
*Pleuronichthys verticalis* 501  
*Plotosus anguillaris* 39, 42  
*Podocnemis* 512  
   *fajumensis* 512  
   *williamsi* 512  
*Poecilia*  
   *formosa* 29  
   *latipinna* 29, 888  
   *reticulata* 30, 624-629, 702-704  
   spp. 30, 703  
*Poeciliopsis*  
   *gracilis* 30  
   *latidens* 704  
   *lucida* 704  
   *monacha* 703-704  
   *occidentalis* 29-30  
   *prolifera* 625, 627, 703-704  
   spp. 30, 703  
*Pogonophryne*  
   *dolichobranchiata* 686-693  
   *marmoratus* 686-693  
   *permitini* 686-693  
*Pollachius virens* 563-578  
*Polyodon spathula* 441-455  
*Pomatomus saltatrix* 771, 773  
*Pomoxis nigromaculatus* 392-400  
*Porichthys notatus* 895-897  
*Priacanthus*  
   *alalaua* 490  
   *arenatus* 490  
   *boops* 490  
   *cruentatus* 490  
   *niphonius* 490  
*Prionace glauca* 906-907  
*Prionotus scitulus* 691  
*Prionurus punctatus* 477-481

- Pristigenys* 490-492  
   *alta* 490-491  
   *macrophthalmus* 490  
   *niphonia* 490  
   *substriata* 490-491  
   *serrula* 490  
*Prognathodes* 170  
*Proteus anguinus* 67-68  
*Protopterus annectens* 783  
*Proumbra* 912  
*Psenes cyanophrys* 397  
*Pseudanthias elongatus* 893  
*Pseudemoia spenceri* 17  
*Pseudemys*  
   *scripta* 409  
   *scripta elegans* 409  
   *scripta troostii* 409  
*Pseudobagrus aurantiacus* 42  
*Pseudobatrachus foedus* 339  
*Pseudophryne* sp. 17  
*Pseudopriacanthus* 490-492  
*Pseudorhombus*  
   *arsius* 501  
   *triocellatus* 498-503  
*Ptychadena* 623  
*Pylodictis olivaris* 33-52, 504  
  
*Rabida* 33, 43-49  
*Ramphophryne* 283  
*Rana*  
   *arvalis* 882  
   *aurora* 129-137  
   *berlandieri* 312-319, 623, 733-734  
   *berlandieri brownorum* 313  
   *berlandieri forreri* 313  
   *blairi* 312-319, 733-734, 876-877  
   *boylui* 129-137  
   *brownorum* 313  
   *cancrivora* 402, 404  
   *catesbeiana* 645  
   *erythrea* 882  
   *forreri* 313, 316-317  
   *hecksheri* 129-137  
   *magnocularis* 313, 316-317  
   *nameyei* 882  
   *palmipes* 129-137  
   *palustris* 877, 882  
   *pipiens* 312-319, 645-652, 733-734, 737-741, 876-879  
   *pipiens brachycephala* 876  
   *pretiosa* 471  
   *septentrionalis* 879-882  
   *sphenocephala* 312-319, 725, 876  
   *sylvatica* 882  
   *utricularia* 312, 646, 876  
   *virescens* 876  
   *virescens brachycephala* 876  
   *virescens virescens* 876  
   *virgatipes* 879-882  
*Randallichthys filamentosus* 820, 822  
*Ranidella* sp. 17  
  
*Regina septemvittata* 639  
*Rhacochilus toxotes* 658, 660  
*Rhamdia* 49  
   *hilarii* 42  
   *laticauda* 42  
   sp. 42  
*Rhigophila dearborni* 342  
*Rhinichthys atratulus* 377-387  
*Rhodeus*  
   *amarus* 481  
   *sericeus* 481  
*Rhombus maeoticus* 501  
*Rhinophrynus dorsalis* 129-137  
*Richardsonius balteatus* 331  
*Rita*  
   *chrysea* 42  
   *rita* 42  
*Rivulus marmoratus* 894  
*Ronquius jordani* 342, 348  
*Rypticus* 605  
  
*Saccobranchius fossilis* 228-229  
*Sacura margaritacea* 893-894  
*Salmo*  
   *gairdneri* 416, 503, 816  
   *salar* 503, 890-891  
   *trutta* 394, 890  
*Salvelinus*  
   *fontinalis* 154, 167, 720, 810-819, 919  
   *namaycush* 720  
*Sapheosaurus* 883  
*Sardinops caerulea* 331  
   cf. *Scapherpeton* 76  
*Scaphiopus* 881  
   *bombifrons* 129-137  
   *couchii* 235, 404-405  
   *hammondii* 235  
*Scarus*  
   *croicensis* 475  
   *iserti* 475-476  
   *perrico* 477-481  
   *taeniopterus* 475-477  
   *vetula* 475  
*Sceloporus*  
   *jarrovi* 682, 741, 743  
   *malachiticus* 681-686  
*Scelotes gronovii* 197-204  
*Schedophilus*  
   *maculatus* 492-494  
   *medusophagus* 492-494  
*Schilbeodes* 33, 43-44, 47-49  
   *exilis* 47  
   *gilberti* 47  
   *insignis* 47  
*Schismaderma carens* 579-583  
*Sciaenops ocellata* 751-756  
*Scolecormorphus*  
   *attenuatus* 268  
   *bornmulleri* 265, 267  
   *convexus* 268  
   *kirki* 268

- Iamottei* 265–269  
*ulugurensis* 268  
*vittatus* 268  
*Scomberoides lysan* 788  
*Scomberomorus regalis* 476  
*Scorpaenopsis*  
*diabolis* 604  
*gibbosa* 604  
*Scytalina cerdale* 503, 890–891  
*Sebastes*  
*atrovirens* 658  
*chrysomelas* 658  
*mystinus* 658  
*Selene vomer* 902  
*Semionotus* 897–901  
*Semotilus*  
*atromaculatus* 377–387  
*atromaculatus* × *Campostoma anomalum* 377–387  
*atromaculatus* × *Clinostomus elongatus* 377–387  
*atromaculatus* × *Nocomis biguttatus* 377–387  
*atromaculatus* × *Rhinichthys atratulus* 377–387  
*margarita* 487–489  
*(Margariscus) margarita* 487–489  
*margarita nachtriebi* 489  
*Seriola*  
*dorsalis* 902  
*lalandi* 215  
*Serranus oculatus* 824  
*Shweboeys* 512  
*Siren* 84  
*Sladenia* 544–546  
*Solea solea* 501  
*Sparisoma* 475  
*rubripinne* 475  
*Spathodus* 154  
*Sphaerodactylus*  
*beatyi* 208  
*corticola* 234  
*macrolepis* 208  
*Sphenodon* 883–884  
*Sphenomorphus*  
*sp.* 17  
*tympanum* 17  
*Sphyraena barracuda* 476  
*Squalus acanthias* 190–191, 221  
*Squatina californica* 907  
*Stereogenys* 512  
*Sternotherus*  
*carinatus* 119–128  
*depressus* 119–128  
*minor* 119–128  
*odoratus* 119, 121  
*minor minor* 119–128  
*minor peltifer* 119–128  
*minor: minor* × *peltifer* 120–124  
*Stizostedion vitreum* 890–893  
*Storeria* 138  
*dekayi* 245  
*Symphimus*  
*leucostomus* 353, 356  
*mayae* 353–371  
*Symphurus*  
*atricauda* 472–473  
*plagiua* 501  
*plagusia* 501  
*Syngnathus* 90  
*analicarens* 87, 94  
*(Parasyngnathus) analicarens* 92  
*argyrostictus* 91–92  
*fasciolata* 92  
*investigatoris* 87–90  
*maxweberi* 87  
*Tanystropheus* 883–884  
*Taphrosphys* 512  
*Taricha* 83  
*rivularis* 466, 470  
*Telmatobius sp.* 129–137  
*Terapon jarbua* 788  
*Thalassophryne* 339  
*Thamnophis* 127, 138, 459  
*elegans vagrans* 884–886  
*eques eques* 884–886  
*melanogaster canescens* 884–886  
*proximus* 142  
*radix radix* 884–886  
*sauritus sauritus* 884–886  
*sirtalis* 142  
*sirtalis parietalis* 884–886  
*Thorichthys* 210  
*helleri meeki* 210  
*hyorhynchum* 210  
*meeki* 210  
*Tilapia mossambica* 176  
*Tomeurus* 800  
*Trachyrhynchus trachyrhynchus* 563–578  
*Triakis acutipinnae* 217–219  
*Trinectes*  
*inscriptus* 596, 604–605  
*maculatus* 501, 596, 604–605  
*Trionyx*  
*aequa* 456–457  
*cartilaginea* 456–457  
*crassa* 456–457  
*egregia* 456–457  
*ferox* 456–457  
*franciscae* 456–457  
*heteroglypta* 456–457  
*mira* 456–457  
*muticus* 456–457  
*salebrosa* 456–457  
*scutumantiguum* 456–457  
*seralis* 456–457  
*sinensis* 456–457  
*sp.* 456–457  
*triunguis* 456–457  
*Tripion* 283  
*Trisopterus*  
*esmarkii* 563–578  
*minutus* 563–578  
*Triturus* 83

- Tropidechis* 15  
*Tupinambis nigropunctatus* 241-243  
*Tylotriton* 83  
*Typhlacontias brevipes* 197-204  
*Typhlomolge*  
  *rathbuni* 64-73  
  *robusta* 64-75  
*Typhlotriton spelaeus* 65, 67, 69  
  
*Ulvicola sanctaerosae* 342, 348  
*Umbra*  
  *krameri* 911-913  
  *limi* 911-912  
  *pygmaea* 911-912  
*Unechis gouldii* 20  
*Uromacer* 296  
*Urophycis*  
  *chuss* 563-578  
  *earlii* 563-578  
  *tenuis* 563-578  
*Uta stansburiana* 741-744  
  
*Varanus salvator* 241-243  
*Varicus*  
  *bucca* 269, 271-272  
  *imsue* 269-272  
  *marilynae* 269, 271-272  
  
*Verasper moseri* 501  
*Vipera berus* 741  
  
*Wallago attu* 42  
  
*Xantusia*  
  *henshawi* 208  
  *vigilis* 208  
*Xenopus laevis* 129-137, 402, 404  
*Xererpes fucorum* 349  
*Xiphister atropurpureus* 342, 348  
*Xiphophorus*  
  *helleri* 30, 625-627  
  *maculatus* 30, 625-627, 704  
  spp. 703  
  *variatus* 625, 627  
*Xystreures liolepis* 501  
  
*Yozia bicoarctata* 87, 94  
  
*Zanclus* 175  
*Zoarces viviparus* 330-331, 342  
*Zoarchias* 344  
  *veneficus* 342



# SUBJECT INDEX

## COPEIA, 1981, Nos. 1-4

- ACTIVITY**, *Chelydra serpentina* (radio-telemetry and mark-recapture study of activity) 630-637; *Etheostoma vitreum*, *Percina roanoka* (use of <sup>60</sup>Co tags to determine activity patterns) 709-711.
- ADHESION**, *Hyla (chrysocelis, versicolor)* (how toe pads function) 790-796.
- AGGRESSION**, *Gasterosteus aculeatus* (association between lateral scute number and aggressiveness) 717-720.
- ANESTHETICS**, lizards (represented by *Amphibolurus barbatus*, *Tupinambis nigropunctatus* and *Varanus salvator*) (ketamine hydrochloride as an anesthetic agent) 241-243.
- ANATOMY**, genus *Peltophryne* (cranial osteology) 273-285; genus *Trionyx* (importance of preneural in evolution of genus) 456-457; *Gephyrosaurus bridensis* (caudal anatomy) 883-884.
- BEHAVIOR**, *Dendrobates pumilio* (homing behavior; also includes territoriality) 1-8; *Lepomis macrochirus* (behavioral thermoregulation) 9-13; *Chaetodon (capistratus, aculeatus)* (foraging behavior) 169-178; fishes (advantage of hovering in shade) 392-400; *Anolis aeneus* (relationship between food and social behavior in juvenile individuals) 422-434; *Chriopeiodes pengelleyi* (reproduction) 473-474; *Eleutherodactylus urichi* (territorial behavior) 726-728; *Anolis grahami* (unusual display behavior) 728-733; *Galeocerdo cuvieri* (diel behavior) 904-908.
- BLOOD**, *Hypostomus regani* (effect of exposure to air on haematological parameters) 918-920.
- BREEDING**, *Cyprinodon n. sp.*, *Gambusia cf. senilis* (breeding populations in a thermal [39.2-43.8°C] stream, Chihuahua, Mexico) 701-702.
- CALLS**, *Hyla regilla* (monophasic call) 230-233; *Hyla ebraccata* (vocal responses to conspecific calls) 615-624.
- CHEMICAL CUES**, *Plethodon cinereus* (prey location) 435-440.
- CHROMOSOMES**, genus *Noturus* (and other ictalurid genera) (chromosomal evolution) 33-52; *Noturus flavus*, *Ictalurus (punctatus, melas, natalis)* (kidney preparations for chromosomal analyses) 216-217; *Cyprinodon (variegatus, hubbsi, rubroflavialis, pecosensis, bovinus, beltrani, eximius, atrovus, elegans, bifasciatus)* (karyomorphology) 494-498; *Pseudorhombus (trioellatus, arsius)*, *Heteromycotis oculus*, *Paraplagusia bilineata*, *Cynoglossus puncticeps* (complement and morphology of Indian species) 498-503; *Ictalurus punctatus* (lymphocyte culture for chromosomal analysis) 503-504; *Rana (septentrionalis, virgatipes)* (karyotypes) 879-882; *Dorosoma (cepedianum, petenense)* (karyology) 908-911; *Umbra krameri* (karyotype) 911-913; *Fundulus (parvipinnis, heteroclitus)* (distribution of constitutive heterochromatin and evolution of sex chromosomes) 916-918.
- CLEANING**, *Hermosilla azurea*, *Girella nigricans* (in juveniles) 785-789.
- COLORATION**, *Crossorhombus azureus* (ambicoloration—a sexually dimorphic character) 721-722.
- DEVELOPMENT**, family Platycephalidae (development and organization of posterior field of ctenoid scales; 32 species) 596-606; *Acipenser (brevirostrum, oxyrhynchus)* (development and identification of larvae from Hudson River, New York) 711-717; *Stizostedion vitreum* (olfactory organ) 890-893.
- DIGESTION**, *Plethodon (cinereus, shenandoah)* (temperature dependent assimilation efficiencies) 417-421.
- DISPLAY**, *Anolis grahami* (unusual display behavior) 728-733.
- DISTRIBUTION**, *Leptotyphlops columbi* (rediscovery on San Salvador Id., Bahamas) 233-234; *Notropis chihuahua* 255-265; *Ambystoma tigrinum* (in east-central and southeast Arizona) 666-675.
- ECOLOGY**, *Drysdalia (coronoides, mastersi, rhodogaster, coronata)* (venomous snakes in cold climates) 14-25; *Phrynosoma (douglassi, orbiculare)* (habitat separation) 147-153; *Notropis (welaka, signipinnis, roseipinnis, texanus, venustus, chrysocephalus, longirostris)* (*Ericymba buccata*) (spatial and temporal resource utilization) 178-189; *Menidia menidia* (reproductive ecology) 766-776; *Ambystoma (opacum, maculatum, talpoideum)* (nocturnal stratification of larvae) 870-873.
- EGGS**, *Graptemys pseudogeographica* (infestation by fly larvae) 457-459; *Fundulus heteroclitus* (comparison of chorions from eggs of northern and southern populations) 607-614; *Malaclemys terrapin* (predation on eggs by dunegrass [*Amphiphila brevifilulata*]) 723-724; *Ambystoma maculatum* (anti-predator role of salamander egg membranes) 724-726; *Sciaenops ocellata* (description of laboratory reared eggs and larvae) 751-756.
- ELECTROPHORESIS**, *Desmognathus fuscus* complex (variation in Appalachian populations) 109-119; *Sternotherus (carinatus, depressus, minor)* 119-128; *Eleutherodactylus (coqui, locustus, eneidiae, portoricensis, brittoni, antillensis, richmondi)* (comparison of Puerto Rican species) 463-466; *Ambystoma macrodactylum columbianum* (microgeographical variation of electrophoretic loci) 466-471; gadiform fishes (35 species) (lactate dehydrogenase

- isozymes) 563-578; *Notropis (pilsbryi, zonatus)* (glucosephosphate isomerase, lactate dehydrogenase and phosphoglucosmutase enzyme systems) 583-590; *Ambystoma tigrinum* (allozyme variation among different morphs) 590-595; *Catostomus (fumeiventris, santaanae)* (gene duplication and diploidization in tetraploid catostomid fishes) 705-708; *Salvelinus fontinalis* (evidence of subspecific differentiation in northern and southern populations) 810-819; *Rana pipiens* (geographic variation of proteins in populations from north-central United States) 876-879.
- EMBRYOS, *Neoceratodus forsteri* (rearing under laboratory conditions) 776-784.
- EVOLUTION, genus *Noturus* (and other ictalurid genera; chromosomal) 33-52; genus *Peltophyryne* (based on cranial morphology) 273-285; genus *Trionyx* (importance of preneural) 456-457.
- EXOTICS, *Rhodeus sericeus* (status in southeastern New York) 481-482; *Bufo marinus* (expansion of range in Australia, 1935-1974) 676-680.
- FECUNDITY, *Cryptobranchus alleganiensis* 873-876.
- FEEDING, genera *Lebiasina*, *Hoplias* and *Chalcus* (intraspecific functional repertoires in feeding mechanism) 154-168; *Chaetodon (capistratus, aculeatus)* (foraging behavior) 169-178; *Makaira indica* (use of bill during feeding) 215; *Polyodon spathula* 441-455; *Plethodon cinereus* (prey location through chemical cues) 435-440; *Bufo boreas* (feeding on tadpoles by gray jays) 459-460; family Harpagiferidae (feeding biology) 686-693; *Poecilia (monacha, prolifica, reticulata)* (starvation stress and intraovarian cannibalism) 702-705; *Porichthys notatus* (larvae) 895-897.
- FOOD, *Caretta caretta* (utilization of posthatching yolk) 406-411; *Anolis aeneus* (relationship between food and social behavior in juvenile individuals) 422-434; *Exoglossum maxillingua* (summer diet in a central New York stream) 484-487; *Sceloporus malachiticus* (initial prey preferences) 681-686.
- FORAGING, *Chaetodon (capistratus, aculeatus)* (behavior) 169-178.
- FOSSILS (see PALEONTOLOGY)
- FUNCTION, *Lampropeltis getulus splendida* (structure-functional aspects of scent gland) 138-146; genera *Lebiasina*, *Hoplias* and *Chalcus* (intraspecific functional repertoires in feeding mechanism) 154-168; *Makaira indica* (use of bill during feeding) 215; *Hyla (chrysoscelis, versicolor)* (adhesion of toe pads) 790-796; *Coryphaena hippurus* (division of labor between median fins) 901-904.
- GAS EXCHANGE, *Chelonia mydas*, *Caretta caretta* (of embryonic individuals) 757-765.
- GEOGRAPHICAL LOCALITIES  
Alabama, *Ambystoma opacum* 387-391.  
Alberta, *Couesius plumbeus* × *Semotilus margarita* 487-489.  
Antarctica, *Cryothemia peninsulae* 558-562; family Harpagiferidae 686-693.  
Arizona, *Ambystoma tigrinum* 666-675.  
Australia, *Drysdalia (coronoides, mastersi, rhodogaster, coronata)* 14-25; *Bufo marinus* 676-680; *Neoceratodus forsteri* 776-784.  
Bahamas, *Leptotyphlops columbi* (San Salvador) 233-234.  
Bahrain, genera *Syngnathus*, *Parasyngnathus*, *Bryx* and *Yozia* (Persian Gulf) 87-95.  
Barbados, *Scarus taeniopterus* 475-477.  
Belgium, *Lacerta vivipara* 741-744.  
Belize, *Cichlasoma meeki* 210-212; *Varicus insue* 269-272; *Gambusia (yucatan, sexradiata, luna)* 694-700.  
California, *Hysteroecarpus traski* 305-311; *Cyprinodon salinus* 411-417; *Symphurus atricauda* 472-473; *Embiotoca jacksoni* 653-665; *Porichthys notatus* 895-897.  
Cameroon, *Scolecophorus lamottei* 265-269.  
Canada, genus *Cryptobranchus* (fossil species from Miocene of Saskatchewan) 76-86.  
Costa Rica, *Dendrobates pumilio* 1-8; *Neotrophus nematopus* 286-296; *Geophis downsi* 549-553; *Sceloporus malachiticus* 681-686.  
Cuba, genus *Peltophyryne* 273-285.  
El Salvador, *Anableps dowi* 25-32.  
Florida, *Alligator mississippiensis* 638-645; genus *Nerodia* 886-889.  
Great Britain, *Gephyrosaurus bridensis* 883-884.  
Grenada, *Anolis aeneus* 422-434.  
Guatemala, *Cichlasoma meeki* 210-212.  
Gulf of Mexico, *Menidia beryllina* complex 319-336.  
Hawaii, *Naso maculatus* 553-558; *Galeocerdo cuvieri* 904-908.  
Hispaniola, genus *Peltophyryne* 273-285.  
Idaho, *Ambystoma macrodactylum columbianum* 466-471.  
India, *Austrobatrachus dussumieri*, *Batrachius grunniens* 336-341; *Pseudorhombus (trioellatus, arsius)*, *Heteromysticis oculus*, *Paraplagusia bilineata*, *Cynoglossus puncticeps* 498-503.  
Jamaica, *Chiropeides pengelleyi* 473-474; *Anolis grahami* 728-733.  
Kuwait, genera *Syngnathus*, *Parasyngnathus*, *Bryx* and *Yozia* (Persian Gulf) 87-95.  
Massachusetts, *Fundulus heteroclitus* 212-215; *Maclemys terrapin* 723-724.  
Mexico, *Cyprinodon (beltrani, labiosus, maya, simus)* (Yucatan) 52-64; *Phrynosoma (douglassi, orbiculare)* 147-153; *Cichlasoma meeki* 210-212; *Notropis chihuahua* 255-265; *Abudefduf troschelii*, *Eupomacentrus rectiferaenum*, *Microspathodon dorsalis* (Gulf of California) 477-481; *Cyprinodon* new species, *Gambusia cf. senilis* (Chihuahua) 701-702; *Cnemidophorus gularis* 826-868.  
Mississippi, *Notropis (welaka, signipinnis, roseipinnis, texanus, venustus, chryscephalus, longirostris)*, *Eriocymba buccata* 178-189.

- Missouri, *Cryptobranchus alleganiensis* 873-876.  
 Nebraska, *Polyodon spathula* 441-455.  
 New Guinea (Papua), *Etelis radius* 820-825.  
 New York, *Rhodeus sericeus* 481-482; *Exoglossum maxillingua* 484-487; *Acipenser (brevirostrum, oxyrhynchus)* 711-717; *Oncorhynchus kisutch* × *Oncorhynchus tshawytscha* 720-721.  
 Nicaragua, *Neotroplus nematopus* 286-296.  
 North Carolina, *Etheostoma vitreum*, *Percina roanoka* 709-711.  
 Northeastern Pacific Ocean, *Derepochichthys alepidotus* 341-352.  
 Ohio, *Desmognathus fuscus* × *Desmognathus ochrophaeus* 371-377.  
 Oklahoma, *Rana (berlandieri, blairi, sphenoccephala)* 312-319.  
 Ontario, *Chelydra serpentina* 630-637.  
 Oregon, *Ambystoma macrodactylum columbianum* 466-471.  
 Panama, *Cichlasoma panamensis* 286-296; *Hyla ebriacata* 615-624.  
 Pennsylvania, *Desmognathus fuscus* × *Desmognathus ochrophaeus* 371-377.  
 Philippines, *Cosymbotus platyurus*, *Hemidactylus frenatus*, *Lepidodactylus lugubris* 204-209.  
 Puerto Rico, genus *Peltophryne* 273-285; *Eleutherodactylus (coqui, locustus, eneiidae, portoricensis, brittoni, antillensis, richmondi)* 463-466.  
 Saudi Arabia, genera *Syngnathus*, *Parasyngnathus*, *Bryx* and *Yozia* (Persian Gulf) 87-95.  
 South Africa, *Makaira indica* 215.  
 South Carolina, *Menidia menidia* 766-776.  
 South Dakota, *Polyodon spathula* 441-455.  
 Sri Lanka (Ceylon), *Etelis radius* 820-825.  
 Tanzania, fossil turtles (4 species) 509-522.  
 Texas, *Ambystoma tigrinum* 590-595; genera *Eurycea* and *Typhlomolge* (cave species) 64-75; *Percina (carbonaria, caprodes)* 95-108; *Notropis chihuahua* 255-265; *Rana (berlandieri, blairi, sphenoccephala)* 312-319; *Rana (berlandieri, blairi)* 733-734.  
 Trinidad, *Eleutherodactylus urichi* 726-728.  
 Virgin Islands (U.S.), *Chaetodon (capistratus, aculeatus)* 169-178.  
 Virginia, *Plethodon cinereus* 435-440.  
 Washington, *Ambystoma macrodactylum columbianum* 466-471; *Catostomus columbianus* × *Catostomus macrocheilus* 802-810.  
 West Indies (Barbados, Dominica, St. Lucia, Guadeloupe, Marie-Galante, Martinique, Curaçao), genus *Liophis* 296-304.  
**GILLS**, *Lepidocephalichthys guntea* (gross structure and dimensions of gills in air-breathing fish) 224-229.  
**GONOPODIA**, *Jenynsia lineata*, *Anableps (anableps, dowi)* (testis structure in species with tubular gonopodia) 797-801.  
**GROWTH**, *Mustelus (asterias, canis, griseus, lenticulatus, manazo, mediterraneus, mustelus)* (von Bertalanffy growth rates) 189-192; *Hyla gratiosa* (effect of staining on growth of tadpoles) 193-196; *Rana pipiens* (of solitary tadpoles in confined space) 737-741; *Chelonia mydas*, *Caretta caretta* (of embryonic individuals) 757-765; *Porichthys notatus* (larvae) 895-897.  
**HABITAT**, *Phrynosoma (douglassi, orbiculare)* (separation) 147-153; *Rana pipiens*, *Bufo terrestris* (roles of temperature and dissolved oxygen in microhabitat selection by tadpoles) 645-652; *Ambystoma tigrinum* (in east-central and southeast Arizona) 666-675.  
**HERMAPHRODITISM**, *Holanthias martinicensis* (protogynous hermaphroditism) 893-895.  
**HIBERNATION**, *Lacerta vivipara* (survivorship during hibernation) 741-744.  
**HISTOLOGY**, *Lampropeltis getulus splendida* (scent gland) 138-146; *Lepidocephalichthys guntea* (gills) 224-229.  
**HYBRIDIZATION**, *Desmognathus fuscus* and *D. ochrophaeus* 371-377; *Semotilus atromaculatus* (morphological analyses of experimental crosses with *Camptostoma anomalum*, *Clinostomus elongatus*, *Notemis biguttatus* and *Rhinichthys atratulus*) 377-387; *Couesius plumbeus* × *Semotilus margarita* 487-489; *Oncorhynchus kisutch* × *Oncorhynchus tshawytscha* (Lake Ontario) 720-721; *Catostomus columbianus* × *Catostomus macrocheilus* (estimates in Columbia River) 802-810.  
**ISOLATING MECHANISMS**, *Rana pipiens* complex (*R. berlandieri*, *R. blairi*, *R. sphenoccephala*) (pre-mating isolating mechanisms) 312-319.  
**KARYOLOGY** (see **CHROMOSOMES**)  
**KEYS**, genus *Liophis* (taxonomic key to eastern Caribbean species) 296-304; genus *Lophiodes* (taxonomic key to genus) 522-549; genus *Geophis* (taxonomic key to Costa Rican and Panamanian species) 549-553.  
**LARVAE**, *Xenopus laevis*, *Rhinophrynus dorsalis*, *Hyla regilla*, *Bufo terrestris* (+ 46 other species) (tadpoles; relative sizes of buccal floor depressor and elevator musculature) 129-137; *Hyla gratiosa* (effect of staining on growth of tadpoles) 193-196; *Acipenser (brevirostrum, oxyrhynchus)* (development and identification of larvae in Hudson River, New York) 711-717; *Sciaenops ocellata* (description of laboratory-reared larvae) 751-756; *Neoceratodus forsteri* (rearing under laboratory conditions) 776-784.  
**LIFE HISTORY**, *Notropis chihuahua* 255-265; *Ambystoma tigrinum* (life history variation in east-central and southeast Arizona) 666-675.  
**MERISTICS**, *Oncorhynchus kisutch* × *Oncorhynchus tshawytscha* (variation) 720-721.

- METAMORPHOSIS**, *Rana pipiens* (of solitary tadpoles in confined space) 737-741.
- MORPHOLOGY**, *Sternotherus* (*carinatus*, *depressus*, *minor*) (variation) 119-128; *Xenopus laevis*, *Rhinophrynus dorsalis*, *Hyla regilla*, *Bufo terrestris* (+ 46 other species) (tadpoles; relative sizes of buccal floor depressor and elevator musculature) 129-137; *Lampropeltis getulus splendida* (structure-functional aspects of scent gland) 138-146; genera *Lebiasina*, *Hoplias* and *Chalceus* (muscles; function in feeding) 154-168; sharks (represented by *Triakis acutipinnae*) (body section variation as an adaptation for efficient swimming) 217-219; *Lepidocephalichthys guntea* (gross structure and dimensions of gills in air-breathing fish) 224-229; *Schedophilus maculatus* (presence of a sub-dorsal fin pore/canal system) 492-494; *Stizostedion vitreum* (olfactory organ in larvae) 890-893; fishes (quantitative description of body form; taxonomic and ecological implications) 897-901.
- MUSCULATURE**, *Xenopus laevis*, *Rhinophrynus dorsalis*, *Hyla regilla*, *Bufo terrestris* (tadpoles; relative sizes of buccal floor depressor and elevator musculature) 129-137.
- NESTING**, *Opheodrys aestivus* (communal nesting in laboratory) 243-246.
- NESTS**, *Caretta caretta* (role of temperature in nest site selection) 238-241; *Ambystoma opacum* (evolution of nest site selection) 387-391.
- NOMENCLATURE**, *Austrobatrachus dussumieri*, *Batrachichthys grunniens* (the two Indian species of Batrachoididae) 336-341.
- ORIENTATION**, *Ambystoma* (*opacum*, *jeffersonianum*, *maculatum*) (topographical) 460-463; *Alligator mississippiensis* (celestial compass orientation in juveniles) 638-645.
- OSMOREGULATION**, *Ambystoma tigrinum* (in hypersaline media) 400-405; *Cyprinodon salinus* (effects of temperature and salinity acclimation) 411-417.
- OSTEOLOGY**, genus *Fettophryne* (cranial) 273-285; *Derepodichthys alepidotus* 341-352; genera *Opheodrys* (2 species), *Entechinus* (3 species), *Symphimus mayae* (comparison of cranial osteology) 353-371.
- OXYGEN CONSUMPTION**, *Cosymbotus platyurus*, *Hemidactylus frenatus*, *Lepidodactylus lugubris* (diel variation) 204-209.
- OXYGEN ROLE**, *Rana pipiens*, *Bufo terrestris* (roles of temperature and dissolved oxygen in microhabitat selection by tadpoles) 645-652.
- PALEONTOLOGY**, genus *Cryptobranchus* (fossil species from Miocene of Saskatchewan, Canada; one new) 76-86; genus *Trionyx* (importance of preneural) 456-457; genus *Pristigonyx* (senior synonym of recent genus *Pseudopriacanthus*) 490-492; fossil turtles (4 species) (Olduvai Gorge, Tanzania) 509-522; *Gephyrosaurus bidenensis* (caudal anatomy in lower Jurassic eosuchian) 883-884.
- PHARYNGEAL TEETH**, genus *Notropis* (formulae variations) 222-224.
- PHYSIOLOGY**, *Mabuya* (*capensis*, *varia*, *sulcata*), *Scelotes gronovii*, *Acontias meleagris*, *Typhlacontias brevipes* (physiological correlates of limbllessness and fossoriality) 197-204; *Cosymbotus platyurus*, *Hemidactylus frenatus*, *Lepidodactylus lugubris* (diel variation of oxygen consumption) 204-209; *Cyprinodon salinus* (effects of temperature and salinity acclimation) 411-417; *Gambusia* (*yucatanana*, *sexradiata*, *luma*) (physiological ecology) 694-700.
- PREDATION**, *Malaclemys terrapin* (predation on eggs by dunegrass [*Ammophila breviligulata*]) 723-724; *Ambystoma maculatum* (anti-predator role of salamander egg membranes) 724-726.
- RADIO-TELEMETRY**, *Chelydra serpentina* (study of activity) 630-637.
- REPRODUCTION**, *Anableps dowi* (reproductive biology and seasonal variations) 25-32; *Fundulus heteroclitus* (reproductive activity of females from Massachusetts compared with those from more southern localities) 212-215.
- SALINITY**, *Cyprinodon salinus* (effects of salinity acclimation on metabolic rate and osmoregulation) 411-417.
- SCALE EATING**, *Hermosilla azurea*, *Girella nigricans* (in juveniles) 785-789.
- SCALES**, family Platycephalidae (32 species) (development and organization of posterior field) 596-606.
- SCHOOLING**, *Abudefduf troschelii*, *Eupomacentrus recifitranum*, *Microspathodon dorsalis* (mixed-species schools) 477-481.
- SENSORY STIMULI**, *Plethodon cinereus* (prey location through chemical cues) 435-440.
- SEX**, *Dipsosaurus dorsalis* (possible effect of incubation temperature on sex determination) 869-870.
- SEXUAL DIMORPHISM**, *Crossorhombus azureus* (ambicoloration—a sexually dimorphic character) 721-722.
- SOCIAL INTERACTIONS**, *Lepomis macrochirus* 9-13.
- SPAWNING**, *Menidia menidia* (reproductive ecology and spawning periodicity) 766-776; *Symphurus atricauda* (seasonal spawning cycle) 472-473; *Chriopeiodes pengelleyi* (behavior) 473-474; *Scarus taeniopterus* (pair spawning) 475-477.
- SPERMATOZOA**, *Poecilia reticulata* (competition between palla and normal bearing spermatozoa) 624-629.
- STARVATION**, *Poecilia* (*monacha*, *prolifera*, *reticulata*)

- (starvation stress and intraovarian cannibalism) 702-705.
- SURVEY**, genus *Nerodia* (collection of brackish-water snakes from central Atlantic coast of Florida) 886-889.
- SURVIVORSHIP**, *Lacerta vivipara* (during hibernation) 741-744.
- SWIMMING**, sharks (represented by *Triakis acutipinnae*) (body section variations as an adaptation for efficient swimming) 217-219; *Carcharhinus leucas*, *plumbeus* (voluntary swimming speeds) 219-222.
- SYSTEMATICS**, *Cyprinodon* (*beltrani*, *labiosus*, *maya*, *simus*) (evolution of species flock in Yucatan, Mexico; descriptions of three new species) 52-64; genera *Eurycea* and *Typhlomolge* (generic boundaries of Texas cave species and redescription of *Typhlomolge robusta*) 64-75; genus *Cryptobranchius* (Miocene fossil species from Saskatchewan, Canada; one new) 76-86; syngnathid genera *Syngnathus*, *Parasyngnathus*, *Bryx* and *Yozia* (notes on Persian Gulf species) 87-95; *Percina* (*caprodes*, *carbonaria*) (variation in western populations of *P. caprodes* and description of new subspecies; elevation of *P. carbonaria* to full species) 95-108; *Desmognathus fuscus* complex (electrophoretic variation in Appalachian populations) 109-119; *Sternotherus* (*carinatus*, *depressus*, *minor*) (allozymic and morphological variation) 119-128; *Cichlasoma meeki* (characters, synonymy and distribution; *Cichlasoma hyorhynchum* a junior synonym) 210-212; *Notropis chihuahua* 255-265; *Scolecophorus lamottei* (new species description) 265-269; *Varicus insue* (new species description) 269-272; genus *Peltophryne* (evolution; resurrection of genus) 273-285; *Nectrophus nematopus* (taxonomic status; *N. fluviatilis* a junior synonym; *N. panamensis* referred to *Cichlasoma*) 286-296; genus *Liophis* (review of eastern Caribbean species; taxonomic key) 296-304; *Hysteroecarpus traski* (morphometric analysis of three isolated populations) 305-311; *Rana pipiens* complex (*R. berlandieri*, *R. blairi*, *R. sphenoccephala*) (premating isolating mechanisms) 312-319; *Menidia beryllina* complex (*M. beryllina*, *M. peninsulae*) (Gulf of Mexico and tributaries; confirmation of validity of *M. peninsulae*) 319-336; *Austrobatrachus dussumieri*, *Batrachius grunniens* (nomenclature of the two Indian species of Batrachoididae) 336-341; *Derepodichthys alepidotus* (redescription and osteology) 341-352; genera *Ophiodryx* (2 species), *Entechinus* (3 species), *Symphimus mayae* (comparison of cranial osteology) 353-371; *Eleutherodactylus* (*coqui*, *locustus*, *eneidae*, *portoricensis*, *brittoni*, *antillensis*, *richmondi*) (biochemical similarities; Puerto Rican species) 463-466; *Ambystoma macrodactylum columbianum* (microgeographical variation of electrophoretic loci) 466-471; *Icelinus* (*burchami burchami*, *burchami fuscus*) (status and identity) 482-484; *Coregonus prognathus* (a nomen dubium) 489-490; genus *Pseudopriacanthus* (junior synonym of genus *Pristigensys*) 490-492; fossil turtles (4 species) (Olduvai Gorge, Tanzania) 509-522; genus *Lophiodes* (revision) 522-549; *Geophis downsi* (new species) 549-553; *Naso maculatus* (new species) 553-558; *Cryothenia peninsulae* (new genus and species) 558-562; gadiform fishes (35 species) (lactate dehydrogenase isozymes) 563-578; *Bufo* (*viridis*, *stomaticus*, *bufo*, *melanostictus*) (albumin evolution; relationships among Eurasian species) 579-583; *Notropis* (*pilsbryi*, *zonatus*) (relationships as shown by various enzyme systems) 583-590; *Rana berlandieri* and *Rana blairi* (suture zone dynamics in Texas populations) 733-734; *Salvelinus fontinalis* (evidence of subspecific differences between northern and southern populations) 810-819; *Etelis radiosus* (new species description; taxonomic keys and evolutionary relationships in genus *Etelis*) 820-825; *Cnemidophorus gularis* (status of populations allocated to this species and *Cnemidophorus scalaris* in Coahuila, Mexico; subspecific identity of Zacatecas population) 826-868; *Rana pipiens* (geographic variation of proteins in north-central United States) 876-879; *Archomenidia sallei* (*Archomenidia boliviari* a junior synonym) 913-914; *Labeo werneri* (identity and provenance; synonym of *Capoeta capoeta*; erroneous type locality data) 915.
- TADPOLES**, *Xenopus laevis*, *Rhinophrynus dorsalis*, *Hyla regilla*, *Bufo terrestris* (+ 46 other species) (relative sizes of buccal floor depressor and elevator musculature) 129-137; *Hyla gratiosa* (effect of staining on growth of tadpoles) 193-196.
- TAGGING**, *Etheostoma vitreum*, *Percina roanoka* (use of  $^{60}\text{Co}$  tags to determine activity patterns) 709-711; *Ambystoma talpoideum* (effects of implanted tantalum-182 wire tags) 733-737.
- TECHNIQUES**, *Noturus flavus*, *Ictalurus punctatus*, *melas*, *natalis* (kidney preparations for chromosomal analyses) 216-217; genus *Thamnophis* (gonadectomy) 884-886.
- TEMPERATURE**, *Caretta caretta* (role in nest site selection) 238-241; *Cyprinodon salinus* (effects of temperature acclimation on metabolic rate and osmoregulation) 411-417; *Plethodon cinereus*, *shenandoah* (temperature dependent assimilation) 417-421; *Rana pipiens*, *Bufo terrestris* (roles of temperature and dissolved oxygen in microhabitat selection by tadpoles) 645-652; *Cyprinodon* new species, *Gambusia cf. senilis* (breeding populations in a thermal [39.2-43.8°C] stream, Chihuahua, Mexico) 701-702; *Dipsosaurus dorsalis* (possible effect on sex determination) 869-870.
- TERRITORIALITY**, *Dendrobates pumilio* (including homing behavior) 1-8; *Abudefduf troschelii*, *Eupomacentrus rectifraenum*, *Microspathodon dorsalis* (significance of vertical territories) 477-481; *Embiotoca jacksoni* (experimental analysis of territo-

- riality) 635-665; *Eleutherodactylus urichi* (behavior) 726-728.
- TESTIS, *Jenynsia lineata*, *Anableps* (*anableps*, *dowi*) (structure) 797-801.
- THERMOREGULATION, *Lepomis macrochirus* (behavioral thermoregulation) 9-13.
- WEIGHTS, *Bufo canorus* (seasonal changes in total body lipid and liver weights) 234-238.
- YOLK, *Caretta caretta* (utilization of posthatching yolk) 406-411.
- VARIATION, genus *Notropis* (pharyngeal tooth-count variation) 222-224.



